

BUSITEMA UNIVERSITY
FACULTY OF ENGINEERING
DEPARTMENT OF AGRICULTURAL MECHANIZATION AND
IRRIGATION ENGINEERING



**AUTOMATION OF A DRIP IRRIGATION SYSTEM FOR CITRUS AT NATIONAL
SEMI ARID RESOURCES RESEARCH INSTITUTE-SERERE**

By
EBITU LARMBERT
BU/UP/2008/203
ebitularmber@gmail.com

Design project report submitted in partial fulfillment for the award of
Bachelor of Agricultural Mechanization and Irrigation Engineering of
Busitema University

May 2013

ABSTRACT

While the necessity of irrigation in general is appreciated, the focus of research has now shifted to the recent concept of agric-technology that seeks to widen modern agricultural horizons and in incorporating the use of information technologies and communication (ICT's), shift the focus of irrigation system design toward the new concept of hardware and software synergies for cost reduction, efficiency, design modifications, fertigation and chemigation. In the recent years the emphasis has focused on precision farming, including the use and application of software and more efficient instruments in agriculture besides the use of simulation and modeling of moisture and nutrients movement under different soil and dripper characteristics. Improved micro irrigation systems and in particular an automated system is the focus of this project.

This project undertook to design a system that in the sense of the word 'Automated'; would eliminate the use of the Human factor in monitoring. The system employs the use of moisture sensors for measuring and in self triggering irrigation actions, maintain the soil moisture at the desired pre-calculated and preset levels.

This design follows the modern challenge of to improve crop growth and reduce associated costs as a justification for the incorporation of the automated concept in to the irrigation system design. The result is that water use will be significantly reduced, labor cut and continuous monitoring of the moisture guarantee high application precision

Because the system continuously monitors moisture levels, the system achieves a high level of precision and efficiency of water and chemical use,

The system designed here is simulated to gauge the response and the rate of its effect and operation. The design drawings that summarize the system design are a most satisfying visual cognate of the system, which though simulated, is yet to be implemented. However testing of the system components is crucial to the success of this project and should thus be accomplished in future

DECLARATION

This project report is my own original documentation and has never before been, partially or fully submitted to any University or institution of higher learning for the award of a Bachelor of Agricultural Mechanization and irrigation Engineering or any other award.

Signature 

Ebitu Lambert

Date 02/08/2013



APPROVAL

This project which has been prepared under my supervision has my endorsement for submission

Signature

Ms Abbo Jacqueline

Main supervisor

Signature

Mr. Owaa Sultan

Co-supervisor

ACKNOWLEDGEMENT

The completion of an emphatic project such as this could not have been possible without the participation of learned and resourceful mentors that comprise the lot of the Academic staff of the Department of Agricultural mechanization and irrigation Engineering of Busitema University-the lecturers and technicians, and in particular, my supervisors: Ms Abbo Jacqueline and Mr. Owaa Sultan; individuals with whom I consulted and had valuable technical and moral discussions and to whom I must extend sincere gratitude.

DEDICATION

To my family: thanks for the discipline of your collective love; to my friends especially Max Anders: thanks for watching my back while I took all the chances, and to my colleagues, the class of 2008: thanks for the valuable discussions throughout the struggle years

TABLE OF CONTENTS

ABSTRACT.....	I
DECLARATION.....	II
APPROVAL.....	III
ACKNOWLEDGEMENT.....	IV
DEDICATION	V
TABLE OF CONTENTS.....	VI
ACRONYMS.....	IX
LIST OF FIGURES.....	X
LIST OF TABLES	XI
LIST OF APPENDICES	XII
CHAPTER ONE.....	1
1.0 INTRODUCTION.....	1
1.1 BACKGROUND	1
1.2 PROBLEM STATEMENT.....	3
1.3 JUSTIFICATION	3
1.4 OBJECTIVES OF THE PROJECT.....	4
1.4.1 <i>Main objective</i>	4
1.4.2 <i>Specific objectives</i>	4
1.5 SCOPE OF THE STUDY	4
1.6 ORGANIZATION OF PROJECT.....	5
1.7 LIMITATIONS.....	5
CHAPTER TWO.....	6
LITERATURE REVIEW.....	6
2.0 INTRODUCTION	6
2.1 IRRIGATION SYSTEM	6
2.1.1. <i>Introduction of types of Irrigation Systems</i>	7
2.1.2. <i>Manual Irrigation</i>	7
2.1.3. <i>Drip Irrigation</i>	7
2.1.4. <i>Principles of drip irrigation</i>	8
2.1.5. <i>Components of the drip irrigation system</i>	8
2.2 CITRUS AGRONOMY AND PRODUCTION IN UGANDA	9
2.2.1 <i>Water requirements of Citrus</i>	9
2.2.2 <i>Soil requirements of Citrus</i>	9
2.2.3 <i>Climatic requirements of citrus</i>	9
2.3 CROP WATER REQUIREMENT.....	9
2.3.1 <i>Determination of the irrigation water need</i>	9
2.3.2 <i>Estimation of reference crop evapotranspiration</i>	10
2.3.2.1 Blarney – Criddle Method.....	10
2.3.2.2 Radiation Method.....	11

2.3.2.3 Hargreaves Equation	11
2.3.2.4 Penman-Monteith equation	11
2.3.3 Determination of Crop evapotranspiration.....	11
2.3.3.1 Adjusting the values of crop coefficient	12
2.3.4 Determination of the Effective rainfall.....	13
2.3.5 Consumptive irrigation requirement.....	13
2.3.6 Net irrigation requirement.....	14
2.3.7 Irrigation efficiencies.....	14
2.4 PRELIMINARY DESIGN STEPS FOR A DRIP IRRIGATION SYSTEM.....	15
2.5 FINAL DESIGN STEPS FOR A DRIP IRRIGATION SYSTEM	17
2.5.1 determining the pressure required at the laterals	17
2.5.2 Determining the pressure head required at individual pipes:	19
2.6 PUMP SELECTION	19
2.6.1 Classifications of Pumps.....	20
2.6.2 Actual Pumping Head (Total Dynamic Head).....	20
2.6.3 Net Positive Suction Head (NPSH) for a pump	21
2.6.4 Other important Pump selection parameters.....	22
2.7 IRRIGATION PIPES.....	22
2.7.1 Type of irrigation Pipes	23
2.8 VALVES.....	24
2.9 AUTOMATION	25
2.9.1 Automatic Control of Irrigation.....	25
2.9.2 Methods of measuring soil moisture.....	25
2.9.3 Automation equipment	26
2.9.3.1 Controllers	26
2.9.3.2 Basic Irrigation Control Concept.....	26
CHAPTER THREE.....	29
MATERIALS AND METHODOLOGY.....	29
3.0. INTRODUCTION	29
3.1. SYSTEM SELECTION	29
3.2. EQUIPMENT AND MATERIALS USED IN THE STUDY.....	29
3.3 TECHNIQUES FOR DATA COLLECTION	29
3.3.1 Discussions and consultations.....	29
3.3.2 Desk study.....	30
3.3.3 Interviews.....	30
3.3.4 Survey of the topography.....	30
3.3.5 Sampling and testing of water and soil	30
3.3.5.1 Water quality testing	30
3.3.5.1 Soil testing.....	30
3.3.6 Choosing of irrigation microcontroller.....	30
3.3.7. Climatic data	31
3.3 METHODS OF DATA ANALYSIS.....	31
3.4 ACTUAL DESIGN OF THE AUTOMATED DRIP IRRIGATION SYSTEM	31
CHAPTER FOUR	33
DATA PRESENTATION, ANALYSIS AND SYSTEM DESIGN.....	33
4.0 DATA PRESENTATION	33
4.1 CITRUS AGRONOMY, SPECIES TO BE GROWN AND THE CROPPING PATTERN.....	33
4.2 SOIL RESULTS, ANALYSIS AND DISCUSSION	33

<i>4.2.1 Interpretation of the results.....</i>	36
4.3 WATER QUALITY TEST RESULTS, ANALYSIS AND DISCUSSION.....	37
<i>4.3.1 Final classification</i>	<i>38</i>
4.4 CROP WATER REQUIREMENT.....	38
4.5 PRELIMINARY IRRIGATION SYSTEM DESIGN.....	39
<i>4.5.1 System capacity.....</i>	<i>39</i>
4.6 FINAL IRRIGATION SYSTEM DESIGN.....	42
<i>4.6.1 Selection of emitters.....</i>	<i>42</i>
<i>4.6.2 Main line and laterals.....</i>	<i>43</i>
<i>4.6.3 HP of pump set</i>	<i>44</i>
4.7 AUTOMATION OF THE DESIGNED IRRIGATION SYSTEM	45
<i>4.7.1 Required in-put data</i>	<i>45</i>
<i>4.7.2 Design approach</i>	<i>46</i>
<i>4.7.3 Result and analysis.....</i>	<i>46</i>
4.8 FINAL DESIGN OF AUTOMATED SYSTEM.....	46
<i>4.8.1 Approach</i>	<i>46</i>
<i>4.8.2 Probe</i>	<i>47</i>
<i>4.8.2.1 Purpose.....</i>	<i>47</i>
<i>4.8.2.2 Requirements and limitations</i>	<i>47</i>
<i>4.8.2.3 Description</i>	<i>48</i>
<i>4.8.2.4 Assembly.....</i>	<i>48</i>
<i>4.8.3 Probe drivers</i>	<i>50</i>
<i>4.8.3.1 Purpose</i>	<i>50</i>
<i>4.8.3.2 Requirements and constraints.....</i>	<i>50</i>
<i>4.8.4 Relays.....</i>	<i>50</i>
<i>4.8.5 Valves and pipes.....</i>	<i>50</i>
<i>4.8.5.1 Purpose.....</i>	<i>50</i>
<i>4.8.5.2 Choosing and Sizing the Valves</i>	<i>51</i>
<i>4.8.5.3 Sizing power wires.....</i>	<i>53</i>
<i>4.8.5.4 Solenoid valve.....</i>	<i>54</i>
<i>4.8.5.6 Solenoid coil</i>	<i>54</i>
<i>4.8.5.7 Master Valve</i>	<i>54</i>
<i>4.8.4.8 Valve Driver.....</i>	<i>55</i>
<i>4.8.4.6 Requirements and constraints of the valve driver.....</i>	<i>55</i>
<i>4.9.2 Valve Control.....</i>	<i>55</i>
<i>4.9.3 Valve Control Circuit.....</i>	<i>55</i>
<i>4.9.4 Irrigation microcontroller.....</i>	<i>55</i>
<i>4.9.4.1 Selecting and locating the controller.....</i>	<i>56</i>
<i>4.9.5 A/D Interface</i>	<i>57</i>
<i>4.9.6 Electrical considerations.....</i>	<i>58</i>
<i>4.9.7 Moisture monitoring</i>	<i>58</i>
<i>4.9.8 SYSTEM LEVELS OF COMMUNICATION.....</i>	<i>58</i>
<i>4.9.9 Automated irrigation system components.....</i>	<i>59</i>
CHAPTER FIVE	63
3.0 DISCUSSION, CONCLUSIONS AND RECOMMENDATIONS	63
<i>3.1 DISCUSSION</i>	<i>63</i>
<i>3.2 RECOMMENDATIONS</i>	<i>63</i>
<i>3.1 CONCLUSION.....</i>	<i>64</i>
REFERENCES.....	65

ACRONYMS

NARO	:	National Agricultural research organization
NaSARRI	:	National semi-arid resources research institute
FAO	:	Food and Agricultural organization
UBOS	:	Uganda bureau of statistics
JICA	:	Japan international cooperation agency
GDP	:	Gross domestic product
UK	:	United Kingdom

LIST OF FIGURES

Figure 1 Drip system layout scheme.....	8
Figure 2 DV-100 plastic valve	51
Figure 3 Solenoid valve.....	52
Figure 4: Valve wiring diagram	53
Figure 5 Block diagram overview of irrigation controller.....	56
Figure 6 An ESP-LXME controller.....	56

LIST OF TABLES

Table 1 Altitude factors for NPSH calculation.....	21
Table 2 Soil chemical properties.....	34
Table 3 Soil physical properties.....	35
Table 4 Water test quality results.....	37
Table 5 Crop data for Citrus	38
Table 6 The total static head	44
Table 7 Friction loss in the drip unit.....	45

LIST OF APPENDICES

Appendix 1 WORK PLAN	66
Appendix 3: BLOCK DIAGRAM OF IRRIGATION CONTROL	67
Appendix 4 HEAD CONTROL OF SYSTEM	68
Appendix 5: LAYOUT OF PLOTS ON THE FIELD	69
Appendix 6 Pipe layout in field	70
Appendix 7 Expanded pipe field pipe layout.....	71
Appendix 8 Orientation of Field relative to control rooms.....	73
Appendix 9 Sizing the wiring of Irrigation controller	74
Appendix 11 SIMULATION DIAGRAM ON PROTEUS	76
Appendix 12: MEAN MONTHLY MAXIMUM TEMPERATURES.....	77
Appendix 13: MEAN MONTHLY MINIMUM TEMPERATURES (MM).....	78
Appendix 14 MONTHLY RAINFALL TOTALS (mm)	79
Appendix 15 Liquid Crystal Display (LCD).....	80
Appendix 16 C code.....	83

CHAPTER ONE

1.0 INTRODUCTION

This project undertook to solve a significant agricultural problem and had set objectives it strived to. Herein this chapter is an account of the necessary prerequisites to any successful documentation of a design project.

1.1 Background

Considering the current trend of events that have seen a rise in the world hunger levels because of the rapidly increasing populations and the destructive phenomena of global warming manifested in the unpredictability of climate, and which has created an imbalance in terms of production and consumption, there is no longer a question as to the necessity of sustainable Agriculture, and for Uganda, a landlocked country with over 38.5% of its Gross Domestic Product, 85 percent of its export earnings and nearly all the food requirements dependent on Agriculture (UBOS, 2004); the shift toward full-scale irrigated agriculture is inevitable.

Home to the Lake Victoria, the principle source of the White Nile and the second largest fresh water lake in the world, Uganda's rivers and lakes, including wetlands, cover about 18 percent of the total surface area of the country. The total irrigable area in Uganda is approximately 202,000 ha (FAO, 1995). However a recent survey by JICA (2004) revealed that just about 14,000 ha of the irrigable area is under official irrigation and 6,000 ha under unofficial irrigation, particularly for rice irrigation.

The total amount of water used for irrigation is about 12 km³ per year, whereas the annual total renewable water resources are 66 km³. However, even if statistically, these figures imply a high potential for irrigated Agriculture in Uganda, currently, Uganda's Agriculture is mostly rain-fed and is vulnerable to climatic variations. This is bad enough, but most worryingly, regardless of the potential for irrigation, the country's rapid population growth, increased urbanization, industrialization and uncontrolled environmental degradation and pollution are increasing the pressure on the utilization of fresh water resources.

In addition, it is increasingly becoming apparent that the growing need for dependence and a fundamental shift toward irrigated Agriculture coincides with an accelerated competition for

REFERENCES

1. Allen, R.G., Pereira, L.S., Raes, D., Smith, M., 1998. Crop Evapotranspiration Guidelines for Computing Crop Water Requirements. FAO Irrigation and Drainage Paper 56, Rome.
2. anrcatalog.ucdavis.edu
3. Blaine Hanson, Steve Orloff, Blake Sanden: Monitoring soil moisture for irrigation water management, University of California, Agriculture and natural resources, publication 2163
4. Brian Boman, Steve Smith, and Bill Tullus, (2006), Control and automation in Citrus Micro irrigation systems, University of Florida, IFAS extension.
5. Doorenbos J. Kassam A.H. Branscheld V. and Bentvelsen C.I.M (1979) Yield response to water, FAO Irrigation and drainage paper 33
6. F.S. Zazueta., A. G Smajstrla and G. A Clark, (2002), "Irrigation system controllers. IFAS Extension,Agricultural and Biological EngineeringDepartment, Florida Cooperative ExtensionService, University of Florida. Gainsville, FL.
7. Grundfos. (2008). *Irrigation handbook*. Grundfos water services, USA. (www.grundfos.com)
8. Hach. (1993). *Soil and irrigation water interpretation manual*. Hach Company, Loveland, Colorado, United States of America (USA).
9. Hunter. (2009). *The handbook of technical information. A complete reference source for professionals*. Hunter Industries Corporation, San Marcos, California, USA. (www.hunterindustries.com)
10. Isaya V. Sijali., (2001).Options for smallholder farmers in Eastern and Southern Africa. Nairobi:Regional Land Management Unit, RELMA/Sida
11. Lakhdar Z.,Kettab A., Chasseriaux G., (2006), Design of a Micro -Irrigation System based on the control volume method, Biotechnol.Agron.Soc. Environ.
12. MuhammadAliMazidi,JaniceGillispieMazidi,RolinD.McKinlay, (2008), the8051Microcontroller&EmbeddedSystems,2nd Edition.PearsonEducation Inc.
13. Phocaides. A. (2007). *Handbook on pressurized irrigation techniques*, Food and Agriculture Organization, Rome.
14. Rain bird. (2000). *Land Scape Irrigation Design manual*. Rain bird sprinkler Manufacturing Corporation, USA. (www.rainbird.com)
15. Republic of Uganda, Ministry of Agriculture, Animal Industry & Fisheries (MAAIF) Report1998
16. Santosh Kumar Garg, (1998(. Irrigation engineering and hydraulic structure: Khana Publishers, Delhi
17. United States Department of Agriculture (USDA). (1997). *National Irrigation Handbook, Irrigation guide*. Natural Resource Conservation Service (NRCS), National cartography and Geospatial center, Fort Worth, Texas, USA.
18. Zazueta, F. S., A. G. Smajstrla, and G. A. Clark. (1993). Irrigation system controllers. Univ. of Florida., IFAS, Coop. Exten. Pub. AGE-32.
19. Zella L., Kettab A., Chasseriaux G. (2003). Hydraulic simulation of micro-irrigation lateral using controlvolume method

Note: the plant spacing considered in the design was 6*6 m and the plant density 256 citrus trees.

I will upload you the final copy of the project.