

CONSTRAINTS TO PRODUCTION OF INDIGENOUS PIGS IN KAMUDA SUB COUNTY SOROTI DISTRICT

PREPARED BY;

ODONGO ISAC

BU/UG/2012/1790

isacodongo1986@gmail.com

Mobile no.0777769601

DATE: UNIVERSITE OATE:

A RESEARCH DESERTATION SUBMITTED TO THE FACULTY OF AGRICULTURE
AND ANIMAL SCIENCES IN FULFILLMENT OF THE REQUIREMENTS FOR THE
AWARD OF A BACHELORS DEGREE IN ANIMAL PRODUCTION AND
MANAGEMENT OF BUSITEMA UNIVERSITY

SEPTEMBER, 2015

DECLARATION

I ODONGO ISAC declare that this document is out of my	initiative and has never been			
submitted to any institution of higher learning for any awa				
Sign	Date 21/09/2015			
Supervisor:				
Sign	Date: 21/09/2015			
Dr Emmanuel Walusimbi BVM (MUK), MSc .LDM*(MUK)				
Lecturer				
Department of Animal Production and Management				
Faculty of Agriculture and Animal Sciences	8			
Busitema University				

DEDICATION

My sincere gratitude goes to almighty father, the immortal God, the creator of heaven and earth who gave me spiritual wisdom and endeavored with me in the hard times I passed through in the process of ensuring that I finish this document. Also I want to appreciate my late mother for all the tough times she went through together with my father for his input that made me reach this level, may the almighty father extend his rewards to all of them Amen.

AKNOWLEDGEMENT

I would like to acknowledge the contribution of various stakeholders for their support in the process of making this document. Notably the staff of Soroti district local government for allowing me chance to do my research in Soroti, not forgetting the leadership of Kamuda sub county and whole community at large for their hospitality and guidance in the process of data collection.

Appreciation also goes to my research assistants especially; Enyou Emmanuel, Elubu Luke, Alingu Geresem and many others for their support in the tedious process of collecting data.

Lastly I would wish to thank the academic staff of Busitema university especially animal department for their intellectual and parental guidance in times of proposal and dissertation writing, further appreciation goes to my academic supervisor DR EMMANUEL WALUSIMBI for his intellectual guidance during the process of preparing this document, may the almighty father bless you abundantly Amen.

Table of Contents

DECLARATION	ii
DEDICATION	iii
AKNOWLEDGEMENT	iv
LIST OF FIGURES	viii
LIST OF ABBREVIATIONS	
ABSTRACT	x
CHAPTER ONE: INTRODUCTION.	1
1.0 Back ground.	1
1.1 Problem statement	2
1.2 Objectives	2
1.2.0 Main Objective	2
1.2.1 Specific objectives	3
1.2.2 Research questions	3
1.3 Significance of the study	3
1.5 Scope of the study	3
CHAPTER TWO: LITERATURE REVIEW	4
2.1. Background of the piggery industry in Uganda	4
2.2. Importance and use of indigenous pigs in Uganda.	5
2.3. Population size and regional distribution of pigs in Uganda.	5
2.4. Characterization of indigenous pigs in Uganda.	5
2.5. Pig production systems in Uganda	6
2.6. Production constraints of indigenous pigs.	6
2.6.1. Poor housing	6
2.6.2. Lack of extension services.	6

2.6.3. Lack of veterinary services	
2.6.4. Lack of access to credit services	7
2.6.5. Nutritional constraints	
2.6.6. Diseases, parasites and predators	8
CHAPTER THREE MATERIALS AND METHODS	9
3.1 Study area.	9
3.2 Study population.	10
3.3 Sample size determination	10
3.4 Data collection and sampling procedure	10
3.5 Data analysis	10
3.6 Data presentation	10
3.7 Environmental considerations	11
3.8 Limitations/anticipated problems encountered	11
CHAPTER FOUR; RESULTS & PRESENTATION	12
4.1 Data of respondents	12
4.2 Feeding and nutritional constraints	12
4.3 Diseases and parasites constraints	16
4.3.1 Common disease conditions encountered in pigs	19
4.3.2 Common parasites encountered by farmers in Kamuda sub-county	19
4.5 Other challenges faced by piggery farmers in Kamuda Sub County	21
CHAPTER FIVE: DISCUSSION	22
5.1 Introduction	22
5.2 Diseases and parasite constraints encountered	22
5.3 Feeding and nutritional constraints	23
5.4 Extension and veterinary service constraints	23

CHAPTER SIX; CONCLUSION & RECOMMENDATIONS		25	
6.1 Conclusion	***************************************	***************************************	25
6.2 Recommendat	ions ,	***************************************	25
REFERENCES	***************************************		26
APPENDICES	*		
1.1 Appendix one:	Ouestionnaire	*************************************	

LIST OF FIGURES

Figure 1 Map of Soroti showing the location of Kamuda Sub County	9
Figure 2 Shows Bio data of respondents in Kamuda Sub County 1	2
Figure 3 Shows Source of feeds used for feeding pigs 1	.3
Figure 4 shows the percentage of farmers who give supplement feeds to pigs 1	.3
Figure 5 Shows mode of giving feeds to pigs1	.4
Figure 6 shows the percentage of people who give water to their pigs 1	.4
Figure 7 shows various sources of water given to pigs1	.5
Figure 8 shows the frequency at which farmers give water to their pigs 1	.5
Figure 9 shows farmers who have ever experienced serious disease out breaks in their	
herds 1	.6
Figure 10 Shows measures taken by farmers to prevent further disease spread in their	
herdş	6
Figure 11 shows farmers who encountered predators in their herds 1	.7
Figure 12 Shows control measures taken by farmers against spread of infections 1	.7
Figure 13 shows the number of farmers who provided shelter for their pig 1	.8
Figure 14 shows the number of farmers who clean their piggery sty's	8.
Figure 15 shows the number of farmers who had access to extension services 1	.9
Figure 16 shows reasons why farmers could not get extension services 2	0
Figure 17 Shows farmers access to trained veterinary service provide	0
Figure 18 shows other veterinary service providers that complement veterinary officers in	
treatment of pigs2	1

LIST OF ABBREVIATIONS

ANOVA Analysis of Variance

APP Actino Bacillus Pleuropneumonia

AS Actino Bacillus Suis

DNA De oxyribose Nucleic Acid

FAO Food and Agricultural Organization

GDP Growth Domestic Product

HBS Hemorrhagic Bowel Syndrome

ILIRI International livestock Research Institute

MAIF Ministry of Agriculture Animal Industry and Fisheries

NARI National Agricultural Research Institute

NGOs Non Governmental Organization

OIE Organization International Epizootic

PNG Papua New Guinea

UBOS Uganda Bureau of Standards

UCC Uganda Communications Commission

USA United States of America

ABSTRACT

Constraints to the production of indigenous pigs in Kamuda sub county Soroti district were studied to generate baseline information which can be used for future interventions in swine production systems, diseases & parasites control, extension service delivery and pig nutrition were among key areas studied. It was conducted in the parishes of Agora, Kamuda, and Lalle & Aminit with total number of (100) respondents keeping pigs randomly selected. A structured questionnaire was administered to farmers involved and Data analysis was done using SPSS version 16 Statistical Software.

The results found out that 43% of farmers (34-50yrs old) kept pigs, 49% attained primary education with 54% growing crops for survival. 90% kept <10 pigs, women owned less pigs 14% than their male counter parts 19% indicating gender segregation. While the youth participation in piggery projects was least with only 1% and yet they comprise the highest population which should highly participate in developmental projects. The study results indicated that feeding and nutrition is still a challenge with 42% &41% of farmers. relying on greens and kitchen left over's to feed their pigs, with diseases and parasites preventive measures lacking 33%. 76% farmers had no extension and veterinary services and this further contributed to high prevalence of diseases and parasites. And the common disease syndromes and parasites encountered included; cough, vomiting, stuntedness, pot belly stomach, fever, labored breathing, loss of appetite and dullness were among the conditions encountered. This indicated prevalence of African swine fever and internal parasites in the area, though not backed by laboratory evidence. Thus improvement in extension and veterinary services to give advice in better husbandry practices and encouraging adoption of improved breeds of pigs could greatly improve piggery production in Kamuda Sub County. And youth participation in pig rearing is among areas that must be emphasized in Kamuda Sub County. However opportunities exist with availability of ready market in Soroti town and Uganda as a whole due to the growing global demand for pork.

Key words; Kamuda sub county, indigenous pigs &production constraints.

CHAPTER ONE: INTRODUCTION.

1.0 Back ground

Small-scale pig farming plays an important role in the livelihood of many families in the developing world (Lanada et al., 2005). Local pig farming is a form of pig production system quite popular in Western region of Kenya, Namibia, Nigeria China and many other countries. In these settings, families keep an average of 1 to 2 indigenous pigs, these pigs are usually tethered or allowed to scavenge on their own (Githigia et al., 2005; Mutua et al., 2007).

In Uganda Pig production has increasingly become an important activity with pig population rising in the last three decades from 0.19 million to 3.2 million pigs (Ouma, Dione, Lule, Roesel, & Pezo, 2014). Pork has only become important in Uganda over the past two decades; pig numbers have grown rapidly following the Idi Amins years of departure, pig keeping has become an increasingly common strategy for rural households and pork has become a popular food in the 'pork joints' of Kampala and other towns ILRI(2011). Whereas pork accounted for only 1–2% of the 11–12 kg/year per capita meat consumption in the 1960s, it now accounts for at least a third of the current 10 kg/year (FAOSTAT)

The pig enterprise is mostly managed by women and children as a backyard activity in smallholder households in peri-urban and rural areas. The majority of pigs are kept by smallholder households under extensive systems with small numbers of peri-urban small scale, semi-intensive farms and a few large modern intensive farms producing for commercial purposes (Ouma, et al., 2014). Households rear pigs because they grow fast, there is a ready market and proven demand and are highly prolific which can result in quick generation of cash (Mutua, Arimi, Ogara, Dewey, & Schelling, 2010). In these systems pigs are mainly fed on kitchen food wastes, crop residues, especially sweet potato vines, cassava leaves and peelings, banana peelings and by-products of crops such as maize and cocoyam (Katongole, et al., 2013). Pigs play an important role in risk diversification and livelihood security of smallholder and poor households as they are important assets useful in generating income for school fees payment, purchase of farm inputs and covering emergency cash needs while the manure is used in fertilization of the crop fields. Most of the smallholder pig farmers invest minimal financial

REFERENCES

- Anderson, K. (2009). Distortions to agricultural incentives: A global perspective, 1955-2007: World Bank Publications.
- Bashir, M. K., Mehmood, Y., & Hassan, S. (2010). Impact of agricultural credit on productivity of wheat crop: evidence from Lahore, Punjab, Pakistan. *Pak. J. Agri. Sci, 47*(4), 405-409.
- Benson, T., & Mugarura, S. (2013). Livestock development planning in Uganda: Identification of areas of opportunity and challenge. *Land use policy*, 35, 131-139.
- Chianu, J. N., Zegeye, E. W., & Nkonya, E. M. (2010). 20 Global Soybean Marketing and Trade: a Situation and Outlook Analysis. *The Soybean: Botany, Production and Uses*, 461.
- Chisasa, J. (2014). The finance-growth nexus in South Africa's agricultural sector: a structural equation modeling approach.
- Ikwap, K., Jacobson, M., Lundeheim, N., Owiny, D., Nasinyama, G., Fellstrom, C., et al.

 Characterization of pig production in Gulu and Soroti districts in northern and eastern Uganda.
- Katongole, C. B., Nambi-Kasozi, J., Lumu, R., Bareeba, F., Presto, M., Ivarsson, E., et al. (2013). Strategies for coping with feed scarcity among urban and peri-urban livestock farmers in Kampala, Uganda. *Journal of Agriculture and Rural Development in the Tropics and Subtropics* (JARTS), 113(2), 165-174.
- Liebenehm, S., Affognon, H., & Waibel, H. (2011). Collective livestock research for sustainable disease management in Mali and Burkina Faso.
- Moreki, J. C., & Mphinyane, H. G. (2011). Opportunities and challenges of pig production in Botswana.

 Livestock Research for Rural Development, 23(4), 2011.
- Muhanguzi, D., Lutwama, V., & Mwiine, F. N. (2012). Factors that influence pig production in Central Uganda-Case study of Nangabo Sub-County, Wakiso district. *Veterinary World*, 5(6), 346-351.
- Mutua, F., Arimi, S., Ogara, W., Dewey, C., & Schelling, E. (2010). Farmer perceptions on indigenous pig farming in Kakamega district, Western Kenya. Nordic Journal of African Studies, 19(1), 43-57.

- Mutua, F., Dewey, C., Arimi, S., Ogara, W., Githigia, S., Levy, M., et al. (2011). Indigenous pig management practices in rural villages of Western Kenya. *Livestock Research for Rural Development*, 23(7).
- Ouma, E., Dione, M., Lule, P., Roesel, K., & Pezo, D. (2014). Characterization of smallholder pig production systems in Uganda: constraints and opportunities for engaging with market systems. Livestock Research for Rural Development, 26(3).
- Perry, B., & Sones, K. (2007). Science for development: poverty reduction through animal health.
- Waiswa, C. (2005). Porcine trypanosomiasis in southeastern Uganda: prevalence and assessment of therapeutic effectiveness.
- Zeuh, V., & Adoum, I. Y. (2014). Production practices and constraints of pig farms in NDjamena area, Chad. International Journal of Livestock Production, 5(12), 196-203.