BUSITEMA UNIVERSITY

FACULTY OF ENGINEERING

DEPARTMENT OF COMPUTER ENGINEERING

FINAL YEAR PROJECT REPORT

WATER TANK LEAKAGE DETECTION AND NOTIFICATION SYSTEM

BY

OCHOM BRIAN

REG. NO: BU/UP/2013/205

Tel: +256758042596/+256783370752

EMAIL: ochom8brian@gmail.com

SUPERVISOR: DR. SEMWOGERERE TWAIBU

A Final Year Project Report submitted to the Department of Computer Engineering in

Partial Fulfillment for the Requirements for an Award of a Bachelor's Degree in Computer

Engineering of Busitema University

May 2017

DECLARATION

1 OCHOM BRIAN, do hereby declare that this Project Report is original and has not been submitted				
for any other degree award to any other University before.				
Signature Date				
Ochom Brian				
Bachelor of Science in Computer Engineering, (BU)				
Department of Computer Engineering				
Busitema University.				

APPROVAL

This Dissertation Report has been submitted with the approval of the following supervisor(s).				
Signature	Date:			
Dr. Semwogerere Twaibu				
Department of Computer Engineering				
Faculty of Engineering				
Busitema University.				

DEDICATION

I dedicate this report to my parents Mr Kawolo Paul Olowo and Mrs Asio Phyllis who have supported me financially in this whole process of completing my project and always encouraging me to think positively. I pray that the Almighty God rewards them abundantly.

I also dedicate it to my friends who have always been there for me; Muwanguzi Paul, Muganyizi Alex, Kyampeire Hadijah, Nakitto Zubedah, Ndekera Geoffrey, Soyekwo Eliut, Kibego Gilbert and Naiga Harriet. I know that the Almighty God will continue blessing them blessing upon blessing.

Finally I also dedicate it to Dr. Semwogerere Twaibu who has been my wonderful supervisor throughout this whole process. God bless you.

ACKNOWLEDGEMENTS

First of all I give thanks to the Almighty God for giving me life, strength and knowledge throughout this whole process and I bless His name for that and whatever He has put upon my life. I greatly appreciate my parents and siblings for the support, encouragement and motivation.

I would like to thank my supervisor DR. Semwogerere Twaibu for the guidance, advice and encouragement rendered to me that has made me to come up with the expected results.

Lastly, great thanks goes to the department of computer engineering for the support given to me during my stay in Busitema University.

I pray that the Almighty Lord rewards you abundantly.

LIST OF ACRONYMS

ADC Analog-to-Digital Converter

AT Attention

ATG Automatic Tank Gauging

GSM Global System for Mobile communications

LCD Liquid Crystal Display

LED Light Emitting Diode

SCADA Supervisory Control and Data Acquisition

SIR Statistical Inventory Reconciliation

SMS Short Message Service

UST Underground Storage Tank

ABSTRACT

A leak is a way (usually an opening) for fluid to escape a container or fluid-containing system, such as a tank or a ship's hull, through which the contents of the container can escape or outside matter can enter the container. Leaks are usually unintended and therefore undesired. The word leak usually refers to a gradual loss; a sudden loss is usually called a spill[1].

Leaks in water tanks especially in overhead water tanks are usually ignored or taken lightly and yet these leakages contribute to high water bills to the customer. A leak of only one liter per minute corresponds to 525,600 liters per year. A leak of only one drop per second represents a water loss of 10,000 liters per year[2]. In cases where the water tanks are located on the ground, the leakage in the tanks can be a source of water contamination since the hole can become a passage of dirt into the tanks. Leak detection means a device or method that is capable of detecting leaks in a storage tank system.

Saving water is very important to everybody since saving water means saving on water bills especially at such a time when the economic status is so pressing on everyone rich or poor and yet the demand for water is increasing every day[3].

This project was therefore aimed at developing a water tank leakage and notification system.

The work is arranged mainly in six chapters, Chapter one includes the introduction of the Project. Chapter two discusses the literature related to the system, chapter three illustrates the methodologies used in coming up with the working prototype of the system, chapter four includes system design and analysis, chapter five contains the implementation and testing of the system and chapter six contains the summary of the work, discussions and recommendations.

LIST OF FIGURES

Figure 1.1: Leakage in a water poly tank	2
Figure 4.1: Data Flow Diagram of the System.	16
Figure 4.2: Physical Design of the System.	16
Figure 4.3: ATMega328P 8-Bit Processor in 28 pin DIP package	17
Figure 4.4: Relay Switch showing its connection terminals	19
Figure 4.5: Liquid Crystal Display (LCD)	20

LIST OF TABLES

Γable 2.1: Summary about existing systems	9

TABLE OF CONTENTS

DECLARARTION	i
APPROVAL	ii
DEDICATION	iii
ACKNOWLEDGEMENTS	iv
LIST OF ACRONYMS	v
ABSTRACT	vi
LIST OF FIGURES	vii
LIST OF TABLES	viii
CHAPTER ONE	1
1.0 INTRODUCTION	1
1.1 BACKGROUND	1
1.2 PROBLEM STATEMENT	2
1.3 OBJECTIVES	2
1.3.1 MAIN OBJECTIVE	2
1.3.2 SPECIFIC OBJECTIVES	2
1.4 JUSTIFICATION	3
1.5 SIGNIFICANCE OF THE PROJECT	3
1.5 SCOPE	3
1.5.1 TECHNICAL SCOPE	3
1.5.2 GEOGRAPHICAL SCOPE	3
1.5.3 TIME SCOPE	3
CHAPTER TWO	4
2.0 LITERATURE REVIEW	4
2.1 INTRODUCTION	4
2.2 EXISTING SYSTEMS AND RELATED WORK	4
2.2.1 LEVEL MONITORING (SCADA SENSOR)	4
2.2.2 AUTOMATIC TANK GAUGING (ATG) SYSTEMS	5
2.2.2.1 Regulatory Requirements of an ATG system	5
2.2.3 VAPOUR MONITORING	6
2.2.3.1 How the vapor monitoring works	6

	2.2.4 STATISTICAL INVENTORY RECONCILIATION (SIR)	6
	2.2.5 MANUAL TANK GAUGING	8
	2.2.5.1 Important restrictions on the use of manual tank gauging	8
	2.2.6 SUMMARY ABOUT THE EXISTIG SYSTEMS (METHODS)	9
	2.4 PROPOSED SYSTEM	10
C	CHAPTER THREE	11
	3.0 METHODOLOGY	11
	3.1 INTRODUCTION	11
	3.2 REQUIREMENTS GATHERING AND ELICITATION	11
	3.2.1 LITERATURE REVIEW	11
	3.2.2 OBSERVATION	11
	3.3 DATA ANALYSIS	11
	3.4 SYSTEM DESIGN	12
	3.4.1 HARDWARE	12
	3.4.2 SOFTWARE	12
	3.5 SYSTEM TESTING	12
	After there was Integration testing where	12
	3.5 VALIDATION	13
C	CHAPTER FOUR	14
	4.0 SYSTEM ANALYSIS AND DESIGN	14
	4.1 INTRODUCTION	14
	4.2 SYSTEM ANALYSIS	14
	4.2.1 FUNCTIONAL ANALYSIS	14
	4.2.2 REQUIREMENTS ANALYSIS	14
	4.3 SYSTEM DESIGN	15
	4.3.1 HARDWARE ANALYSIS	15
	4.3.2 SOFTWARE ANALYSIS	16
	4.3.3 DATA FLOW DIAGRAM	16
	4.3.4 PHYSICAL DESIGN	17
	4.3.4.1 Microcontroller	17
	4.3.4.2 GSM module	17
	4.3.4.3 Solenoid Valve	18

4.3.4.4 Relay switch	18
4.3.4.5 LCD	19
4.3.4.9 Power supply	20
4.4 SOFTWARE	21
4.4.1 Arduino	21
CHAPTER FIVE	23
5.0 IMPLEMENTATION AND TESTING	23
5.1 INTRODUCTION	23
5.2 DEVELOPMENT PLATFORMS	23
5.2.1 ARDUINO	23
5.2.2 PROTEUS	23
5.3 CODE DESIGN	24
5.4 THE SYSTEM OPERATION	26
5.5 TESTING	26
5.6 VERIFICATIONS	27
5.6 VALIDATION	27
5.7 EVALUATION	27
CHAPTER SIX	29
6.0 DISCUSSIONS AND RECOMMENDATIONS	29
6.1 INTRODUCTION	29
6.2 SUMMARY OF THE WORK	29
6.3 CRITICAL ANALYSIS /APPRAISAL OF THE WORK	29
6.4 CHALLENGES	30
6.5 RECOMMENDATIONS	30
6.6 CONCLUSION	30
REFERENCES	31
APPENDIX	32
APPENDIX 1: PROJECT CODE DESIGN	32
APPENDIX 2: PICTURES OF THE SYSTEM AND COMPONENTS	38

CHAPTER ONE

1.0 INTRODUCTION

This chapter comprises of the background, problem statement, objectives and significance of the project.

1.1 BACKGROUND

A water tank is a container which is used to hold water. They are used in a wide variety of settings and for an assortment of purposes all over the world. The need for a water tank is as old as civilization, to provide storage of water for use in many applications, drinking water, irrigation agriculture, fire suppression, agricultural farming, both for plants and livestock, chemical manufacturing, food preparation as well as many other uses[4].

There are various types of water storage tanks and liquid storage tanks; some of them include;[5] Corrugated Steel Tanks, Welded Steel Tanks, Fiberglass Tanks, Pillow (Bladder or Collapsible or blivet) Tanks, Onion tanks, Frame tanks, Poly Tanks. However my main focus is on leaks in Poly tanks.

A leak is a way (usually an opening) for fluid to escape a container or fluid-containing system, such as a tank or a ship's hull, through which the contents of the container can escape or outside matter can enter the container. Leaks are usually unintended and therefore undesired. The word leak usually refers to a gradual loss; a sudden loss is usually called a spill.

Leaks in water tanks especially in overhead water tanks are usually ignored or taken lightly and yet these leakages contribute to high water bills to the customer. A leak of only one liter per minute corresponds to 525,600 liters per year. A leak of only one drop per second represents a water loss of 10,000 liters per year[2]. In cases where the water tanks are located on the ground, the leakage in the tanks can be a source of water contamination since the hole can become a passage of dirt into the tanks. Leak detection means a device or method that is capable of detecting leaks in a storage tank system.

Saving water is very important to everybody since saving water means saving on water bills especially at such a time when the economic status is so pressing on everyone rich or poor and yet the demand for water is increasing every day[3].

To reduce such amounts of water losses as a result of leaks in water tanks a water tank leakage detection system is needed. It will be able to detect a leakage within the water tank and once the leakage is

REFERENCES

- [1] J. Naylor and D. J. Dybdahl, "The history and use of environmental insurance," *Retrieved* on, vol. 1, 2016.
- [2] B. Örmeci, "An Overview of Water Supply, Use and Treatment in Canada," CHALLENGES IN THE AMERICAS, p. 114, 2015.
- [3] G. Daily and K. Ellison, *The new economy of nature: the quest to make conservation profitable.* Island Press, 2012.
- [4] R. Maciel-de-Freitas, W. A. Marques, R. C. Peres, S. P. Cunha, and R. L. de Oliveira, "Variation in Aedes aegypti (Diptera: Culicidae) container productivity in a slum and a suburban district of Rio de Janeiro during dry and wet seasons," *Mem Inst Oswaldo Cruz, Rio de Janeiro*, vol. 102, no. 4, pp. 489-496, 2007.
- [5] G. W. Frasier, "Harvesting water for agricultural, wildlife, and domestic uses," *J. Soil Water Conserv*, vol. 35, no. 3, pp. 125-128, 1980.
- [6] J. García Fernández, "Level sensing system," Universitat PolitÃ" cnica de Catalunya, 2011.
- [7] K. Gomez, "LUST LINE."
- [8] M. G. Stations, "Model Facility Guide."
- [9] R. H. Nassar and A. R. Al-Hajri, "Field Experience with Still Pipes Installation and Supporting in KOC Storage Tanks," in *SPE Middle East Oil and Gas Show and Conference*, 2013: Society of Petroleum Engineers.
- [10] J. D. Hillam, T. J. Guillerm, and A. R. Peterson, "Methods and systems for measuring physical volume," ed: Google Patents, 2010.
- [11] T. S. Kernan, "System and method for monitoring management," ed: Google Patents, 2008.
- [12] J. R. Collins, J. B. Jones, W. P. Jones, and M. A. Lenox, "System, Method and Apparatus for Monitoring Fluid Storage and Dispensing Systems," ed: Google Patents, 2015.
- [13] W. Rose, "The Application of Human Factors through the Assessment and Improvement of Behavioural Safety to Improve Safety Performance in Small to Medium Sized Enterprises," 2012.
- [14] J. Wolford, B. Wolford, C. Lockerd, and R. Slaughter, "Method and apparatus for leak detection in horizontal cylindrical storage tanks," ed: Google Patents, 2013.
- [15] T. D. Petite, "Systems and methods for monitoring and controlling remote devices," ed: Google Patents, 2016.
- [16] K. Parmar, C. Park, and S. Park, "Robust Direct Hydrocarbon Sensor Based on Novel Carbon Nanotube Nanocomposites for Leakage Detection," in 2016 11th International Pipeline Conference, 2016, pp. V003T04A003-V003T04A003: American Society of Mechanical Engineers.