

FACULTY OF ENGINEERING

DEPARTMENT OF AGRICULTURAL MECHANISATION AND IRRIGATION ENGINEERING

DESIGN AND CONSTRUCTION OF A SMALL SCALE ENGINE POWERED MILLET HARVESTER

 \mathbf{BY}

MAGANDA AZIZI

BU/UG/2013/5

TEL: +256 785367100/ +256 706056249

EMAIL: magandaazizi@gmail.com

SUPERVISORS:

MAIN: MR. ERIAU EMMANUEL

CO: MR. IGGA HUZAIRU

A final year project report submitted to the faculty of Engineering as partial fulfillment of the requirements for the award of Bachelor of Agricultural Mechanization and Irrigation Engineering, Busitema University

May, 2017

ABSTRACT

Finger millet (*Eleusine coracona*) is a cereal crop plant that belongs to the grass family which is grown in many countries of Africa and Asia. The millet is rich in polyphenols and particularly in calcium (Kidoido *et al.*, 2002). The crop is also processed into value added products like cookies or beer by the farmers themselves, or by processors at the local or national levels (Oduori 2005). Production of finger millet in Uganda is carried out on a small scale with farmers mainly growing traditional varieties (Mgonja, *et al* (2007)) and for subsistence purposes though it is second to maize as a major cereal crop and one of those whose demand is outstripping its supply hence calling for more production. Due to this fact, there is increase in labour demand especially during harvesting and on addition to that; the largest contribution comes from women (about 75% of the labour force according to FAO, 2000). The crop is harvested by hand, using locally fabricated blunt edged metal strips which results into drudgery, more time being spent in carrying out the operation and the operation coinciding with rains which leads to deterioration of the quality of the grains.

This project undertook the development of a small scale engine powered millet harvester with the aim of reducing on the drudgery and increasing timeliness of the harvesting operations. The main objective of the project was to design and construct a small scale engine powered millet harvester that meets the farmers' harvesting requirements. To achieve the above objective, basic engineering principles and the physical properties of millet were considered in the design of the various components of the harvester. Appropriate engineering drawings were produced using solid edge and AutoCAD and then the designed harvester was constructed at the Busitema University Work shop using the locally available materials (mainly mild steel) and common production technologies, including cutting, bending, welding, etc.

The field performance of the constructed harvester was determined by the field capacity, field efficiency and cutting efficiency. It was found out that the harvester has efficiency and actual capacity of up to 50.6% and 0.041ha/hr respectively. Thus the use of the harvester demonstrated to have a very big role in reducing drudgery and making farming attractive; thereby improving crop production and mitigating the labor shortages experienced during harvesting which finally increases the annual saving of the small scale millet farmers in Uganda.

DECLARATION

I MAGANDA AZIZI declare to the best of my knowledge that this final year project report is as a result of my research and effort on the stated topic and it has never been presented or submitted to any university or institution of higher learning for the award of a Bachelor's Degree in Agricultural Mechanization and Irrigation Engineering.

SIGNATURE	 	
DATE	 	

ACKNOWLEDGEMENT

First of all, I thank the Almighty Allah who gave me life, ability and courage in gathering the information used in the compilation of this project report.

Secondly, I thank my supervisors Mr. Eriau Emmanuel and Mr. Igga Huzairu for the tremendous work done in guiding me in order to come up with this report.

Lastly I would like to appreciate my parents, sisters, brothers, friends and relatives who supported me in all ways to achieve success in my struggles.

DEDICATION

In the first place, special dedication goes to my dear parents Mr. and Mrs. Maganda for the support rendered financially and spiritually. It would be so unfair if I left out my dear sisters Namuli Shamim, Shaakirah and Zakiyyah whose continuous encouragement and guidance have enabled me go through this process. I pray that Allah grants them good for their efforts.

Lastly, I would like to send dedications to my best friends; Nakitto Zubedah, Nuwenshaba Savior, Ndema Habib, Umar Ssekamwa and not forgetting the whole AMI 4 class 2017. For sure I really have nothing to give you in return but I pray Allah rewards you abundantly for your tireless efforts and prayers.

APPROVAL

This final year project report has been submitted for examination with approval from the following supervisors:

MR. ERIAU EMMANUEL	
Signature	
Date	
MR. IGGA HUZAIRU	
Signature	
Date	

CONTENTS

ABST	RAC	Γ	i
DECL	LARA'	TION	. ii
ACKI	NOWI	LEDGEMENT	iii
DEDI	CATI	ON	iv
APPR	OVA	L	. v
LIST	OF FI	GURES	ix
LIST	OF TA	ABLES	ix
1.0	INTE	RODUCTION	. 1
1.1	Ba	ckground	. 1
1.2	Pro	oblem statement	. 2
1.3	Pu	rpose of the study	. 2
1.4	Ob	jectives of the Project	. 2
1	.4.1	Main objective	. 2
1	.4.2	Specific objectives	. 2
1.5	Sco	ope of the Project	. 3
1.6	Jus	stification	. 3
2.0	LITE	RATURE REVIEW	. 4
2.1	Int	roduction	. 4
2.2	Th	e millet crop	. 4
2	.2.1	Categories of finger millet	. 5
2	.2.2	Economic importance of millet in Uganda	. 5
2	.2.3	Nutritional benefits	. 6
2	.2.4	Millet production	. 7
2	.2.5	Cultivation practices of finger millet	. 7
2	.2.6	Physical properties/features of the millet crop.	. 8
2.3	Ha	rvesting of millet	. 8
2	.3.1	Analysis of the available methods of harvesting millet	. 9
2	.3.2	Mechanized harvesting;	11
2.4	Ma	nin components of a millet harvesting equipment	15

2.5	Fal	brication methods commonly used in engineering	16
2.6	Per	rformance of harvesters	19
2.7	Ec	onomic evaluation of harvesters	22
2	.7.1	Payback period method	22
2	.7.2	The average return rate method (ARR)	22
2	.7.3	The net present value (NPV)	23
3.0	MET	HODOLOGY	24
3.1	De	esign considerations for the harvester	24
3.2	Ph	ysical properties of the millet at maturity	24
3.3	De	sign of the different components of harvester	24
3	.3.1	Description of the machine	24
3	.3.2	Design of the cutter bar	25
3	.3.3	The cutting force required for direct cutting of millet	25
3	.3.4	The power requirement for cutting	26
3	.3.5	The slider-crank mechanism	26
3	.3.6	Design of the frame	27
3	.3.7	Design of the wheels	28
3	.3.8	Design of the drive wheels shaft	30
3	.3.9	The pulley and the transmission system	32
3	.3.10	Bevel gear selection for the gear box	35
3	.3.11	Selection of the bearings	35
3	.3.12	Design of the reel	36
3	.3.13	Design of the container	36
3.4	Fal	brication of the harvester	37
3	.4.1	Fabrication of the frame	37
3	.4.2	Fabrication of the cutter bars	38
3	.4.3	Fabrication of the reel	38
3	.4.4	The crank	39
3	.4.5	The collecting container	40
3	.4.6	Fabrication of the wheels	40

3.5	Assembly of the various components	41
3.6	Performance evaluation of the harvester	41
4.0	RESULTS AND DISCUSIONS	42
4.1	Cutting efficiency	42
4.2	Theoretical field capacity	42
4.3	Field efficiency	43
4.4	Actual field capacity	43
4.5	Economic analysis and evaluation	43
4.	5.1 Harvesting by hands	43
4.	5.2 Harvesting by the machine	44
4.	5.3 The payback method	45
5.0	CONCLUSION, CHALLENGES AND RECOMMENDATIONS	46
5.1	Conclusion	46
5.2	Challenges	46
5.3	Recommendations	47
APPE	NICES	48
App	endix A	48
App	endix B	49
App	endix C	50
App	endix D	51
App	endix E	52
App	endix F	52
REFE	RENCES	55

LIST OF FIGURES

Figure 2-1: Finger millet (a) before maturity (b) at maturity	4
Figure 2-2: (a) the sickle (b) harvesting of millet using a sickle	9
Figure 2-3: The scythe	10
Figure 2-4: The paddy reaper	13
Figure 2-5: Showing a lawn Mower	14
Figure 2-6: The riveting process (a) initial position (b) Final position	18
Figure 2-7: Screwed fasteners (source; Khurmi and Gupta, 2005)	19
Figure 3-1: Shows the slider-crank mechanism	26
Figure 3-2: Shows the forces on the wheel shaft	30
Figure 3-3: Shows the shear force and bending moment diagram of the wheel shaft	
Figure 3-4: Shows the cutting blade dimensions	
Figure 3-5: Shows the fabricated reel	39
Figure 3-6: Shows the crank	40
LIST OF TABLES	
Table 2-1: Finger millet production and area harvested in East African countries, 2005	5
Table 3-1: Shows some of the physical properties of millet used in the design of the harves	ter 24
Table 3-2: Standard values of belt thickness and width	33
Table 3-3: Shows material selection based on the properties	
Table 4-1: Shows cost incurred during harvesting by hand	
Table 4-2: shows the cost incurred when harvesting using the machine	
Table 4-3: Shows the overall cost of the machine	

1.0 INTRODUCTION

1.1 Background

Finger millet (*Eleusine coracona*) is a cereal crop plant that belongs to the grass family which is grown in many countries of Africa and Asia. The crop grows to a height of 40-130, and takes a period of 2.5 to 6 months to mature. The millet is rich in polyphenols and particularly in calcium (Kidoido *et al.*, 2002). The crop is also processed into value added products like cookies or beer by the farmers themselves, or by processors at the local or national levels (Oduori 2005).

Production of finger millet in Uganda is carried out on a small scale with producers mainly growing traditional varieties (Mgonja, *et al* (2007)) and for subsistence purposes that is, farmers growing it mainly consider it as a staple crop. Despite the small scale production, the crop yield in Uganda is one of the highest among the millet producing countries. It is second to maize as a major cereal crop and is widely grown in northern region which contributes 40% of the national production, followed by the Eastern region with 21% (Tenywa *et al.*, 1999).

Currently, the demand for the crop is outstripping its supply which calls for more of it to be grown. Some of the constraints or challenges faced in the production of millet are; weeding, the small size of the seeds making them difficult to handle as well as the labour constraint especially during times of harvesting operation.

There is mainly family labour used in harvesting with women contributing about 75% of the labour force (FAO, 2000). The crop is harvested by hand, using locally fabricated blunt edged metal strips which results into drudgery, more time being spent in carrying out the operation and the operation coinciding with rains which leads to deterioration of the quality of the grains.

There is no much evidence shown concerning mechanized harvesting of millet. Though it is reported that combine harvesting of the crop is possible, it can only be carried out particularly for millet that has uniform height. Not only that, the screen to retain good millet seeds in a combine harvester should be much smaller as compared to that of rice and maize and even if so, the combine harvester cannot be afforded by the small scale farmers carrying out millet production.

REFERENCES

Ajit K.Srivastava, Carroll E. Goering, Roger P Rohrbach, Dennis R Buckmaster, 2006. Engineering principles of agricultural machines

Bandara, M.H.M.A., 2016. Influence of cutting height and forward speed on header losses, 4, pp.1–9

Bushoborozi, J., 2013. Profitability of Finger Millet Production in Eastern Uganda By Masters in Agribusiness Management

Chandio, Farman Ali, Changying, Ji Tagar, Ahmed Ali, Mari, Irshad Ali, Guangzhao, T 2013. Comparison of mechanical properties of wheat and rice straw influenced by loading rates., 12(10), pp.1068–1077.

Dr. Emad Elbeltagi,.. 2013. Engineering Economy, Faculty of Engineering, Mansoura University., pp.44–81

FAO, 2001. Post-harvest Operations. INPhO-Post-harvest Compendium. p.56.

FAO, 1995. The state of food and agriculture Rome (Italy) (FAO Agriculture Series, no. 28) ISBN 9251037000

FAO, 2000. The state of food and agriculture 2000. *State of Food and Agriculture*, (32), p.329 pp.

FAO, 2001. Post-harvest Operations. INPhO-Post-harvest Compendium. p.56.

Kassa, E.Z., 2014. Design and Modification of Appropriate Reel Mechanism to Harvest Tef Crop., (1), pp.15–25.

Hulse JH, Laing EM, Pearson OE (1980). Sorghum and the millets: their composition and nutritive value. London, Academic Press. p. 997

J S Tenywa, P Nyende, M Kidoido, V Kasenge, J Oryokot, S Mbowa. (1999) Prospects and constraints of finger millet production in Eastern Uganda. African Crop Science Journal, 7(4), pp.569–583.

Khurmi R.S., Gupta J.K., (2005). A Text of Machine Design, Eurasia Publishing House (Pvt.) Ltd., Ram Nagar, New Delhi- 110055

Kidoido, M. M., Kasenge, V., Mbowa, S., Tenywa, J. S., & Nyende, P. (2002). Socioeconomic factors associated with finger millet production in eastern Uganda. African Crop Science Journal, 10, 111-120.

Kiwuwa, G., and M. Nabasirye. 1997. Strengthening the role of Makerere University in the agricultural research system of Uganda. Analytical report. The Hague: ISNAR

Li-bird, 2014. Constraints and opportunities for promotion of finger millet in Nepal., pp.1–4. Available at: Macauley, H., 2015. Cereal Crops: Rice, Maize, Millet, Sorghum, Wheat. Feeding Africa: An action plan for African Agricultural transformation, pp.1–36.

Martina Rohrich, 2007. Fundamentals of investment appraisal. Munchen Otdanbourg. ISBN 978-3-486-58225-3

NARO. 2001. Responding modernization of research challenges for the to agriculture: Medium Term Plan 2001–2005. Entebbe: NARO

Obilana A.B., 1994. Importance of millets in Africa. *Icrisat*, (Table I), p.18.

Ridenour, H. B., 1965. Canines and Combining, The Ohio State University, Department of Agricultural Education.

Sharma, K.S.A.K., 2012. Nutraceutical Importance of Finger Millet (Eleusine coracana) for Improved Human Health., (Brower 2005).

Shigley, J.E., Mischke, C.R. & Budynas, R.G., 2002. Shigley's Mechanical Engineering Design - 9th Ed.

Tavakoli, H., Mohtasebi, S.S. & Jafari, A., 2009. Effects of moisture content. internode position and loading rate on the bending characteristics of barley straw. *Research in Agricultural Engineering*, 55(2), pp.45–51.

Taylor, J.R.N. & Emmambux, M.N., 2008. Traditional African Cereal Grains - Overview. *Department of Food science*.

Thilakarathna, M. & Raizada, M., 2015. A Review of Nutrient Management Studies Involving Finger Millet in the Semi-Arid Tropics of Asia and Africa. *Agronomy*, 5(3), pp.262–290.

www.miniharvesters.com