

CAUSES OF MORTALITY IN CAMBROUGH BREED OF PIGS IN KUMI SUB COUNTY



BY

APEDEL CHARLES REG NO: BU/UG/2010/287 Email: apedelcharles@gmail.com /c.apedel.umu.co.ug Phone: +256 392 949 459 / +256 701 949 463 CATE:

BRA

DISSERTATION REPORT SUBMITTED TO THE FACULTY OF AGRICULTURE AND ANIMAL SCIENCES IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE AWARD OF BACHELORS' DEGREE IN ANIMAL PRODUCTION AND MANAGEMENT OF BUSITEMA UNIVERSITY

JUNE, 2015

DECLARATION

I, **APEDEL CHARLES**, declare that this dissertation is original and has never been submitted or presented to any other University or Academic Institution for purposes of getting an academic award. All the information in this dissertation is based on my observations or findings.

Date: 30106 2015 Signature: ..

BUSITEMA UNIVERSITY LIBRARY
CLASS NO.
ACCESS NO. AKSODD829

APPROVAL

This dissertation has been submitted for examination with the approval of MISS AKURUT IMMACULATE (BAPTM, MSC, PH), Lecturer and Head of Department Animal Production and Management, Faculty of Agriculture and Animal Sciences

Busitema University

P.O.Box 236, Tororo /226 Busia (U)

Signature-----

DEDICATION

.

J

4

;

I do hereby dedicate this Dissertation Report to my beloved mother **Hukute Rebecca**, without your support I would not be what I am.

ACKNOWLEDGEMENT

Textend my heartfelt appreciation to God most High, who made I am by his grace and chose me as vessel he could use to deliver such Dissertation report.

I am pleased to extent my gratitude to Madam Akurut Immaculate Lecturer Busitema University. Arapai Campus Department of Agriculture and Animal Sciences for her support and guidance that enabled me to write this Research Report. Your support will remain memorable to those that will come across this document. The comments that you gave have improved this document and will eventually improve the research process of other students as well.

Academic Registrar Arapai Campus Mr. Mageni George you become my dear father even when many staff threated you to take any action to you but you stood with me all the way to this time God bless you indeed, my memory will never miss you each time I think of my life

I am also grateful to Mr. Etiang Joseph District Agricultural Officer Bukedea, his dear wife Robinah Etiang and Dr. Onyait Alfred District Veterinary Officer Kumi district for the time and commitment which they gave in the development of this document. May the Almighty God bless you and reward you abundantly.

I am indebted to many of my friends who kept encouraging me in time of this research I know it was not easy to collect data and analyzing it from time go to this final stage thanks you a lot.

TABLE OF CONTENTS

DECLARATION
APPROVAL
DEDICATION
ACKNOWLEDGEMENT
TABLE OF CONTENTS
LIST OF FIGURES
LIST OF TABLES
LIST OF PLATES
ACRONYMS
EXECUTIVE SUMMARY
CHAPTER ONE
INTRODUCTION
1.1 BACKGROUND
1.2 PROBLEM STATEMENT
1.3 OVERALL OBJECTIVE OF RESEARCH
1.4 SPECIFIC OBJECTIVES OF RESEARCH
1,5 RESEARCH QUESTION
1.6 SIGNIFICANCE OF THE RESEARCH STUDY
1.7 JUSTIFICATION OF RESEARCH STUDY
L8 SCOPE OF STUDY FOR THE RESEARCH
CHAPTER TWO
LITERATURE REVIEW OF RESEARCH
2.1 Nutritional causes of mortality of Cambrough pigs
2.3 Feeding management affecting mortality
2.4 Management practices which cause mortality of Cambrough breed of pigs
2.5 Diseases and their control which affect mortality of Cambrough pigs
2.6 Common breeds of pigs in Uganda
CHAPTER THREE
METHODOLOGY
3.) Research Study Area.,
3.2 Sampling design
3.3 Reséarch Instruments
3.4 Operational design
3.5 Statistical design

3.6 Data presentation,
3.7 Ethical considerations
3:8 Environmental considerations
CHAPTER FOUR
PRESENTATION OF RESULTS
4.1 Introducțion
4.2 Breeds of pigs reared by farmers
4.3 Status of the stock kept within the farming household
4.4 Role of different programs in supporting pig farming
4.5 Housing and pig mortality in the Sub County
4.6 Animal health and treatment practice
4.7 Results on the breeding pigs and the breeding system used
4.8 Effect of water supply in causing mortality of pigs
4.9 Results on Record Keeping
CHAPTER FIVE
DISCUSSION OF THE RESULTS
5.1 Major breed reared in the community in relation to mortality of Cambrough pigs
5.2 Effect of mortality on number of pigs kept by households
5.3 Effect of mortality on the upgrade of the local breeds
5.4 Effect of house provision on pig mortality
5.5 Effect of feeds and feeding system on pig mortality
5.6 Effect of management of animal health and treatment on pig mortality
CHAPETR SIX
CONCLUSIONS AND RECOMMENDATIONS
6.1 CONCLUSIONS
6.2 RECOMMENDATIONS
REFERENCES

LIST OF FIGURES

Figure 1: Showing type of pig breeds reared by farmers in the sub county
Figure 2: Shows type of stock kept by farmers in the area
Figure 3: Showing different programs that supported plg farmers
Figure 4: Showing the effect of house provision on pig mortality
Figure 5: Showing level of treatment given to pigs by farmers
Figure 6: Showing use of local medicine by farmers
Figure 7: Showing type of breeding pigs and the breeding system
Figure 8: Showing Provision of water to Cambrough pigs
Figure 9: Showing level of farm records keeping by pig farmers

LIST OF TABLES

Table 1: Showing common problems farmers encounter in pig farming	ļ
Table 2: Showing Different feeds used by farmers in the Sub County)

:

LIST OF PLATES

Plate 1: Showing the leaves flowers and seeds of Abach (cinchona spp) plant used for treating
pigs against African Swine Fever
Plate 2: Showing peelings from the back of Abach (cinchona spp) plant for treating pigs against
African Swine Fever

ACRONYMS

į,

2

AIDS	Acquired Immune Deficiency Syndrome
ALREP	Agriculture and Livelihood Recovery Program
АРМ	Animal Production and Management
ASF	African Swine Fever
ATAAS	Agricultural Technology and Agribusiness Advisory Services
DDP	District Development Plan
DPO	District Production Officer
ÐVÖ	District Veterinary Officer
НΙΫ	Human Immunodeficiency Virus
NAADS	National Agricultural Advisory Services
NGO	Non-Governmental Organization
NUSAF	Northern Uganda Social Action Fund
РМА	Plan for Modernization of Agriculture
PRA	Participatory Rural Appraisal
PRDP	Peace and Recovery Development Program
SC	Sub County
SPSS	Statistical Package for Social Sciences
VO	Veterinary Officer

EXECUTIVE SUMMARY

This study was undertaken to find causes of high mortality of Cambrough breed of pigs in Kumi Sub County, Kumi district, in Teso region, Theaim was to assess the causes of high mortality of Cambrough pigs in theSub County. A total of 130 Cambrough pig farmers were purposively selected for the study. Data was collected using a semi-structured questionnaire, which captured experience in pig production, management systems, causes of mortality, housing provision, health and disease management, feed and feeding systems, production and reproductive performance, problems and benefits in keeping Cambrough pigs. It was found that common breeds kept by farmers in the Sub County are:- local 49% n= 26,380, large white 40% n= 17.107. Cambrough 4 % n= 890, Duroc 0.2% n= 37 and other crosses 7% n= 3,750. High mortality was due to poor management practices 23.6%, poor adaption of breed to local condition 15.9%, housing condition provided 16%, poor feeds and feeding regimes adopted 13.7%, health management used 18.3% and poor planning and record keeping12.5%. Farmers are recommended to incorporate regular training before receiving new breeds, follow good feeding. watering and hygiene practices, and look at the quality and the quantity of the feeds they give to the Cambrough pigs. They should manage all animals equally irrespective of the source. They should keep records which help checkthe performance of the animals in the farm.

CHAPTER ONE

INTRODUCTION

1.1 BACKGROUND

In 2010 NAADS and NUSAFrestocking programmes of government of Uganda introduced Cambrough breed of pigs in Kumi district and placed them in Kumi Sub County. It benefited 345farmers from the 13 parishesin the Sub County. The breed was introduced to boost pork production in the area with a population of 357.670 people as per the 2014 census. These were mainly poor, children, elders, widows, and orphans.Increased production would lead to animal protein increase in the district to take care of the increasing population.

Livestock, including pigs, contribute to livelihoods of over 70 % of the poor in the developing World (Perry and Sones, 2007), In2005, over 65 % of the world's pig population was in Sub Saharan Africa (Holness *et al.*, 2005). Globally, pork consumption continued to register strong growth according to (Trostle, 2008). Pig farming is popular in the peri-urban areas since pigs occupy a small land area (Brown *et al.*, 2001). Pigs have higher turnover rate due to large litter sizes, shorter gestation period and lower feed conversion ratio, as compared to most livestock species. Piggery is profitable as more meat is produced and sold during the life span of a pigcompared to other domestic animals (Holness *et al.*, 2005). The income got is used to meet basic needs such as food, clothing, healthcare, education and housing. Therefore, pigs are a potentially reliable and sustainable resource for economic empowerment of the poor (Holness *et al.*, 2005).

In Uganda, pork consumption increased by 21.2% from 1980 to 1990 and by 3% from 1990 to 2000 (FAO 2005). By 2011, Uganda had the highest per capita consumption of pork in Sub-Saharan Africa of 3.4 kg/person/year (Ballantyne, 2012). The 2008 livestock census report put Uganda's pig population at 3.2 million pigs, 33% located in northern and eastern (MAAIF and UBOS, 2009). Pig production increased in these regions following loss of cattle and goatsat the time of civil unrest, which left many households poorer (FAO, 2004). The period 2002 to 2008 saw rise in the number of pigs from 104,640 to 340,460 in northern and from 155,890 to 699,680 in eastern Uganda (UBOS 2004; MAAIF and UBOS 2009). The contribution of pig farming

- Holness, H.D. (1991): The Tropical Agriculturist: Pigs. Pub. by MacMillan/C.T.A Ltd, London.
- Osaro, O. M. (1995): Enhancing production performance of small holder pig farmers. In: Pig Production Workshop Training Manual pp. 100-130 NAERLS, A.B. u., Zaria, 1995.
- Pig production International Magazine. The feed file. Jan., 1987 edition Pub. by C. Misset b.v. The Netherlands.
- Pig production International Magazine. Focus on housing. Nov. 1988 edition Pub. by C. Misset b.v. The Netherlands.

Presidential Task Force on Alternative Formulation of Livestock Feeds (1992) Executive Summary Submitted to the Sec. to the Gov of the Federal Republic of Nigeria Oct., 1992.

Tegbe, S B, G. Iyeghcand E.O. Otchere (1995): Non-conventional Feedstuffs for swine,

NAPRI's experience. In: Pig Production Workshop Training Manual PP 188-191 NAERLS, A.B.U.,

- Tewe, O. and A.O.K. Adeschinwa (1995): Resource requirements for profitable Pig farming. In: Pig Production Workshop Training Manual pp 16-26. NAERLS, A.B.U., Zaria.
- Mackay, O.G. (1963): Kano Pig Farm. World's Largest Information memo No. 5 Institute of Administration, Zaria.
- Balogun, T.F. (1989): Management and Feeding of Pigs for Profit in Nigeria. A paper Presentedat the Livestock and Poultry Management Course Organised by NAERLS, ABU., Zaria.
- Benyon, N. M. (1990). Finishing systems for outdoor pig production. In: Outdoor pigs, Principles and practice. Chalcombe Publications. pp 115-129.

Berry, R., Edwards, S. A., McCartney, A. (1995). Ad libitum feeding of group-housed Meishan synthetic sows during pregnancy: Animal Science 60: 560.

Bichard, M. (1990). Breeding for outdoor pig production. In: Outdoor pigs, principles and

Practice: Chalcombe Publications. pp 131-139.

- Bichard, M. and David, P. J. (1986). Producing more pigs per sow per year genetic Contributions. J Anim Sci, 63: 1275-1279.
- Braund, J. P., Edwards, S. A., Riddoch, I. and Buckner, L. J. (1998). Modification of foraging behaviour and pasture damage by dietary manipulation in outdoor sows. Appl Anim Behav Sci, 56: 173-186.

Broadbent, J. S., Deeble, F. K., Lightfoot, A. L., Smith, P., Moorhouse, D. G., Yeo,
M. L. and Howard, D. W. (1986). An evaluation of a criss-cross breeding scheme with Large White and Landrace Breeds. Proc 37th Ann Meet EAAP, Budapest.

Brouns, F., Edwards, S. A., English, P. R. (1995). Influence of fibrous feed ingredients onvoluntary intake of dry sows Animal Feed Science and Technology, 54: 301-313.

Buckner, L. J., Edwards, S. A. and Bruce, J. M. (1998). Behaviour and shelter use by Outdoor sows. Appl Anim Behav Sci, 57: 69-80.

Day, J. E. L., Kyriazakis, I. & Lawrence, A. B. (1996). The use of a second-order scheduleto assess the effect of food bulk on the feeding motivation of growing pigs. Animal Science 63: 447-455.

- Edwards, S. A. and Livingstone, R. M. (1990). The use of potatoes and potato products in swine rations. In: Non-traditional feed sources for use in swine production, eds P A Thacker and R N Kirkwood, Butterworths, pp 305-314.
- Noblet, J. and Perez, J. M. (1993). Prediction of digestibility of nutrients and energy values of pig diets from chemical analysis. J Anim Sci 71: 3389.

Australian Pork Limited, (2012). Australian Heid Breeding Statistics. Australian Pig

Annual 2011 - 2012, p. 14.

- Campbell, J. M., Crenshaw, J. D. & Polo, J., (2013). The biological stress of early weaned piglets. Journal of Animal Science and Biotechnology, Volume 4:19.
- Hughes, P. & Van Wettere, W., Oct 2012. Reducing stillbirth & pre-weaning mortality rates through better gestation feeding., Roseworth Campus: Pork CRC.
- KilBride, A. *et al.*, (2011). A cohort study of preweaning piglet mortality and farrowing Accomodation on 112 commercial pig farms in England. Preventive Veterinary Medicine, Volume 104, pp. 281-191.

Kirkden, R. D., Broom, D. M. & Anderson, I. L., (2013). Piglet mortality: Management

solutions. American Society of Animal Science, Volume 91, pp. 3361-3389.

