# THE SOCIO ECONOMIC AND ENVIRONMENTAL HEALTH IMPACT OF CHARCOAL BURNING ON THE COMMUNITY: A CASE OF OMORO SUB COUNTY, ALEBTONG DISTRICT

ΒY

## ACHOLA JACQUELINE

## BU/UP/2012/593

# A RESEARCH PROJECT IN PARTIAL FULFILMENT OF THE REQUIREMENT FOR THE AWARD OF THE BACHELOR DEGREE IN NATURAL RESOURCE ECONOMICS OF BUSITEMA UNIVERSITY

JUNE 2015

### DECLARATION

I **Achola Jacqueline** hereby declare that this research has been through my own efforts and has never been submitted to Busitema University or any other University or institution for the award of a degree or any other qualifications.

Signature: .....

Date: 17th/06/2015

ACHOLA JACQUELINE

BU/UP/2012/593

## APPROVAL

This is to certify that Achola Jacqueline did research and this report is a true representation of the findings. I am therefore, recommending that this report be submitted to the Faculty of Natural Resources and Environmental Sciences of Busitema University.

Signature: Anne Date: 17th/06/2015

Miss Esther Ariango

SUPERVISOR

### DEDICATION

I dedicate this report to Save the Environment in Uganda and the entire family most especially to dad, Mr. Obua Ronald Jimmy; mum, Mrs. Sarah Obua, Solomon, Emmanuel, Elizabeth, Daniel, Chrispus, James and John; my cousin, Mr. Ewach Denis; my aunt, Miss. Hilda and to all my friends especially, Claire, Watela Winnie, Kedi Sharon, Abiyo Annet, Wanyama Eddy, Segawa Frank, Engole John Paul, Otto Ronald Aliro, Opon Isaac, Kyomugasho Sharon, Musabe Master, Namazzi Betty, Lajara Beatrice for their tireless love, care and support to me during this research.

### ACKNOWLEDGEMENT

I would like to thank the Almighty God for His guidance, provision and protection in the course of this research.

I would also like to acknowledge the tireless effort of my research supervisor, Miss Esther Ariango for the guidance and encouragement during the entire period of the research project and the entire staff of Busitema University, Namasagali Campus especially, Dr. Alice Nakiyemba, Miss Gimbo Rebecca, Mr. Masaba Sowedi, Prof. Isabirye Moses, Dr. Munyuli Theodore, Mr. Kifumba David, Mr. Tasiwuka Henry for all their support and encouragement.

Great appreciation goes to Save the Environment in Uganda and the entire family for their love, care, and support. I am so grateful for dad and mum, for they have always been there for me throughout the entire research period and the entire life in education. I also extend my thanks to my cousin, Mr. Ewach Denis who sacrificed everything for me during the primary data collection.

Special thanks to all my friends, Annet, Eddy, James, Frank, Betty, Kedi Sharon, Zerubbabel, Mugalo Simon, Kyomugasho Sharon, Okallo Daniel, John Paul, Beatrice, Claire, Abias and all other course mates, who have not been mentioned but assisted me on one way or the other. May God reward you abundantly!

# **TABLE OF CONTENTS**

DECLARATION
APPROVALÍ
DEDICATIONii
ACKNOWLEDGEMENT
TABLE OF CONTENTS
ACRONYMS
LIST OF FIGURES
LIST OF TABLES
ABSTRACT
CHAPTER ONE: INTRODUCTION
1.0 Background of the study1
1.0.1 Raw materials for charcoal production1
1.0.2 Types of charcoal1
1.1 Statement of the problem
1.2 Objectives of the study
1.2,1 General objectives
1.2.2 Specific objectives
1.3 Research questions
1.4 The conceptual framework4
1.5 Significance of the study
1.6 Scope of the study5
1.7 Limitations of the study
1.8 Operational definitions
CHAPTER TWO: LITERATURE REVIEW
2.0 Introduction7
2.1 Empirical literature review7

Appendix 1: Questionnaire for primary data collection	.46
Appendix 2: A photo showing a man cutting a shea tree for charcoal making	.51

# ACRONYMS

ARI	Acute Respiratory Infection
$C_2H_2$	Ethane
CH <sub>4</sub>	Methane
CO	Carbon monoxide
COz	Carbon dioxide
e.g.	For example
Etc.	Ánd so on
FAO	Food and Agriculture Organization
GTZ	Gesellschaft for Technische Zusammenarbeit
HTE	Heat transfer Efficiency
i.e.	That is to say
IAP	Indoor Air Pollution
LG	Local Government
LRA	Lord's Resistance Army
NEMĂ	National Environment Management Authority
NFA	National Forestry Authority
NPV	Net Present Value

PICs	Products of Incomplete Combustion
SADC	Southern African Development Community
Shs	Shillings
SPSS	Statistical Packages for Social Sciences
SSA	Sub- Saharan Africa
TaTEDO	Tanzania Traditional Energy Development Organization
US	United States
VOC	Volatile Organic Compound

# LIST OF FIGURES

Figure 1.1.1: Showing the briquettes and lump charcoal	2
Figure 1.5.1: Showing the conceptual framework of the study	4
Figure 3.4.1: A map showing Omoro Sub County	16

# LIST OF TABLES

Table 4.1.1: Age groups of the respondents 18
Table 4.1.2: The sex of the respondents
Table 4.1.3: The marital status of the respondents
Table 4.1.4: The educational level of the respondents
Table 4.1.5 The social factors that contribute to charcoal burning
Table 4.1.6. The environmental factors driving the community to burn charcoal
Table 4.1.7. The main source of income for the people of Omoro Sub County
Table 4.1.8. The number of household members
Table 4.1.9. The decision maker on how money is spent in households
Table 4.1.10. The estimated daily expenditure of the people of Omoro Sub County
Table 4.2.1: The effects of charcoal burning
Table 4.2.2: The common diseases associated with charcoal burning
Table 4.2.3: The accidents that occur during charcoal burning
Table 4.2.4: Showing agricultural productivity of a piece of land where charcoal has been burnt
Table 4.3.1: The benefits got from charcoal burning

#### ABSTRACT

The study was on assessing the socio economic and environmental health impacts of charcoal burning on the community in Omoro Sub County, Alebtong District. The study was focused on the human health risks of the people due to charcoal burning in this area. The study objectives were to identify the factors driving people into charcoal burning, to assess the effects of charcoal burning and, to assess the benefits derived from charcoal burning.

A cross- sectional study was used which involved use of questionnaires covering seventy five (75) respondents. Data collected was analyzed using excel and SSPS 16; this facilitated the formation of frequency tables.

The study findings indicated that it is mostly poverty (94.7%) and the existence of the tree species known as cheer butter trees (62.7%) that drive most people into charcoal. The study findings also indicated that the community is mostly affected by cough and lung cancer as a result of smoke and dusts at the time of burning wood and packing the charcoal in sacks. It was found out that the burning heats up the body which dries the blood from the body resulting into Pneumonia. The findings also indicated that the majority of the people get school fees for their children from charcoal burning and it was also found out that there is high crop productivity in areas where charcoal has been made.

In conclusion, charcoal burning as one of the economic activities carried out in Omoro Sub County places the health of the people at risk because lung cancer which is found to be as a result of smoke and dusts getting trapped in the lung causes lung cancer in the long run and can spare nobody as it is concentrated in the atmosphere and consumed by anyone though the charcoal burners are at a higher risk. There may also

xi

be extinction of shea butter trees and yet its nuts are used for making oil which is medicinal and most recommended for consumption. Thus, the researcher recommends that the government should find ways of diverting people's mindsets to other economic activities other than charcoal burning.

···• <u>?</u>,

xii

#### CHAPTER ONE: INTRODUCTION

### 1.0 Background of the study

Charcoal is a porous black solid, consisting of an amorphous form of carbon obtained as a residue when wood or other organic matter is heated in the absence of air. It is also known as the dark grey residue consisting of Impure Carbon obtained by removing water (destructive distillation/carbonization) and other volatile constituent from vegetation substance and animal materials (animal charcoal/ dry distillation) (FAO, 2011). Charcoal making process in Uganda is in most cases done on private land and in public lands and it involves wood cutting, kiln preparation, carbonization and finally unloading charcoal from the kiln, while 13, 10 and 14 days are spent for wood cutting, kiln preparation and carbonization respectively; unloading the charcoal kiln takes only about 4 days (Zahabu, 2001). Bio char contain approximately 80% of fixed carbon, 24% of volatile compound, 4% of ash, 0.53% of Nitrogen, and 0.01% of Sulphur while animal charcoal or bone black contain only about 10% Carbon, the remainder being Calcium and Magnesium Phosphate (80%) and Other Inorganic Material originally present in the Bones (Ezzati & Kammen, 2002).

#### 1.0.1 Raw materials for charcoal production

The major raw material is wood and its by-products such as dust, hard wood, trunks, leaves, etc. The primary source of these is the forest which is invariably natural resources that requires adequate management to prevent environmental degradation.

## 1.0.2 Types of charcoal

Charcoal usually occurs in different forms, majorly through the production processes or raw materials used for the carbonization process.

#### REFERENCES

Akpalu W, Dasmani I, and Aglobitse P.B., 2011. Demand for cooking fuels in a developing country: to what extent do taste and preferences matter? Energy Policy 2011; 39: 6525–31.

Angelsen A. & Wunder S., 2003. Exploring the forest-poverty link: key concepts, issues, and research implications. Bogor, Indonesia: Center for International Forestry Research (CIFOR); 2003.

Arnold J.E.M., Köhlin G. & Persson R., 2006. Wood fuels, livelihoods, and policy interventions: changing perspectives. *World Development* 2006; 34(3): 596–611.

Bailis, R. 2003. Environmental and Socio economic Impacts of Charcoal Production in Kenya. Paper presented in the International Seminar on Bio energy and Sustainable Rural Development Morella, México, 26–28 June 2003.

Bailis, R. Ezzati, M. Kammen, D., 2005. Mortality and greenhouse gas impacts of biomass and petroleum energy futures in Africa. *Science* 308: 98–103.

Bebbington A., 1999. Capitals and capabilities: a framework for analyzing peasant viability, rural livelihoods and poverty. *World Dev* 1999; 27(12):2021–44.

Brouwer, R. & Falcao, M.P., 2004. Wood fuel consumption in Maputo, Mozambique. *Bioenergy* 27: 233–245.

Campbell BM, Angelsen A, Cunningham A, Katerere Y, Sitoe A, & Wunder S., 2007. Miombo woodlands — opportunities and barriers to sustainable forest management. Harare, Zimbabwe: Center for International Forestry Research (CIFOR); 2007.

Chileshe R.A., 2005 Land tenure and rural livelihoods in Zambia: case studies of Kammen and St. Joseph. Unpublished Ph.D. Dissertation. University of the Western Cape, South Africa; 2005.

Desanker P, & Zulu L, 2001. Gender, energy, development and environmental change in Southern Africa. Southern Africa Gender and Energy Network and the Minerals and Energy Policy Centre (SAGEN & MEPC); 2001 [http://www.energia.org/nc/knowledgecentre/ publications-database (accessed January 5, 2012)].

Dewees P.A., 1989. The wood fuel crisis reconsidered: observations on the dynamics of abundance and scarcity. World Dev 1989; 17(8):1159–72.

Dewees P.A., 1995. Forestry policy and wood fuel markets in Malawi. Natural Resource Forum 1995; 19(2):143-52.

Ellegard A, Nordström M, 2003. Deforestation for the poor? *Renew Energy Dev* 2003; 16(2): 4–6.

Ezzati M & Kammen D, 2002. Household energy, indoor air pollution and public health: research and policy needs in developing countries. Annual Review of Energy and the Environment 27, 1–38.

Ezzati M, Singer, B & Kammen D, 2001. Towards an integrated framework for development and economic policy: the dynamics of environmental Kuznets curves. *World Development* 29: 1421–1434.

FAO (Food and Agriculture Organization of the United Nations), 1999. Status and progress in the implementation of national forest programs: outcomes of an FAO worldwide survey. Rome: Food and Agriculture Organization of the United Nations.

FAO (Food and Agriculture Organization). State of the world's forests, 2011. Rome: Food and Agriculture Organization of the United Nations; 2011.

Ghilardi A. & Sander K, 2002. Charcoal production and use: world country statistics and global trends. Energy Sustain Dev this issue.

GTZ (Gesellschaft fur Technische Zusammenarbeit), 2005. Let us save a tree today. The New Vision, Kampala, Uganda, p. 8.

Guruswamy L., 2011. Energy poverty. Annual Environmental Resource, 2011; 36: 139–61.

IEA (International Energy Agency), 2010. Energy poverty: how to make modern energy access universal. Special early excerpt of the World Energy Outlook for the UN General Assembly on the Millennium Development Goals. Paris: Organization for Economic Co-operation and Development (OECD)/IEA; 2010.

Kambewa P.S, Mataya B.F, Sichinga W.K, Johnson T.R, 2007. Charcoal: the reality — a study of charcoal consumption, trade and production in Malawi. Small and Medium Forestry Enterprise Series, 21. London: International Institute for Environment and Development; a2007.

Kammen, D., 1995. Cook stoves for the developing world. Scientific American 273: 72– 75.

Kutsch W.L, *et al.*, 2011. The charcoal trap: miombo forests and the energy needs of people. Carbon Balance Manage 2011; 6:5. <u>http://dx.doi.org/10.1186/1750-0680-6-5</u>.

Luoga E.J., Witkowski E.T.F., & Balkwill K. 2000. Subsistence use of wood products and shifting cultivation within miombo woodland of eastern Tanzania, with some notes on commercial uses. S Africa J Bot 2000; 66(1):72–85.

Martins J., 2005. The impact of the use of energy sources on the quality of life of poor communities. *Soc Indic Res* 2005; 72(3): 373–402.

Monela G.C, OKtingáti A. & Kiwele, P.M, 1993. Socioeconomic aspects of charcoal consumption and environmental consequences along Dar es Salaam – Morogoro highway Tanzania. *Journal of Forest Ecology and Management*, 58: 249-258.

Okulio J.B & Obua J, 2004. Leafing, Flowering, and Fruiting of *Vitellaria paradoxa* subsp.nilotica in Savanna parklands in Uganda. *Agro forestry System*; 60: 77-91.

Osemeobo G.J., & Njovu F., 2004. An evaluation of woodland utilization by smallholders in the Central and Copperbelt Provinces of Zambia. *Int J Appl Econ Econometrics, XII* (2): 219–36.

Parrotta, J.A., Francis, J.K., Knowles, O.H., 2002. Harvesting intensity affects forest structure and composition in an upland Amazonian forest. *Forest Ecology and Management* 169: 243–255.

Richardson R.B., 2010. Ecosystem services and food security: economic perspectives on environmental sustainability. Sustainability 2010; 2:3520–48. World Bank. Environmental crisis or sustainable development opportunity? Transforming the charcoal sector in Tanzania. Washington, DC: The World Bank; 2009.

Schlag, N., & Zuzarte, F. (2008). *Market barriers to clean cooking fuels in Sub Saharan* Africa: A review of literature. Stockholm: Stockholm Environment Institute.

Smith K.R. Samet J., Romieu I., & Bruce N, 2000. Indoor air pollution in developing countries and acute lower respiratory tracts infections in children. *Thorax* 2000; 5:518-532.

Smith K.R., Pennise D.M., Khummongkol P., Chaiwong V., Ritgeen K., Zhang J., et al., 1999. Greenhouse gases from small-scale combustion in developing countries: charcoalmaking kilns in Thailand. Report EPA-600/R-99-109. Research Triangle Park, N.C.: U.S. Environmental Protection Agency; 1999

TaTEDO, 2004. Biomass based electricity production: TANWAT Case Study, Tanzania (Also available at http://db.sparknet.info/goto.php 23 Jan 2007 (unpublished document requested by SPARKNET).

World Bank. World Development report 2000/2001: attacking poverty. New York: Oxford University Press; 2001.

Wunder S., 2001. Poverty alleviation and tropical forests—what scope for synergies? *World Dev* 2001; 29(11):1817–33.

Zahabu, E. 2001. Impact of charcoal extraction on the miombo woodlands: the case of Kitulangalo Area, Tanzania. Sokoine University of Agriculture. Unpublished MSc Thesis.

Zulu LC. 2008. Community-based forest management in southern Malawi: solution or part of the problem? *Soc Nat Resource* 2008; 21:1-17.