

## FACTORS LIMITING COMMERCIALISATION OF SMALL SCALE POULTRY FARMING IN KADERUNA SUB-COUNTY BUDAKA DISTRICT

BY

#### **KEDI EMMANUEL**

Kediemmanuel9@gmail.com

BU/UG/2012/1782



DISSERTATION SUBMITTED TO THE FACULTY OF AGRICULTURE AND ANIMAL SCIENCES IN PARTIAL FULFILLMENT FOR THE A WARD OF DEGREE OF BACHELOR OF ANIMAL PRODUCTION AND MANAGEMENT OF BUSITEMA UNIVERSITY.

**JULY, 2015** 

#### **DECLARATION**

I **KEDI EMMANUEL**, hereby declare that this dissertation is out of my original concept and has never been submitted to any University or institute of higher learning for any academic qualification.

Signature: Date: 28 108 2015

This dissertation has been submitted for examination with the approval of my supervisor:

Dr Okwany Patrick (BVM)

Department of Animal Production and Management,

Faculty of Agriculture and Animal Sciences,

Busitema University

Signature: Date: 28 00 20

CLASS NO.1

## DEDICATION

This piece of work is dedicated to my parents, lecturers of the department of Animal Production and Management and academic colleagues.

#### **ACKNOWLEGMENT**

I take this opportunity to offer my gratitude to the almighty God for the gift of life and knowledge all through.

I appreciate Dr Okwany Patrick for tirelessly working and guiding me through the research process and thank other lecturers for the academic support rendered.

Acknowledgement also goes to the District and Sub-county staff for the support provided, my academic friends and parents for their assistance.

### TABLE OF CONTENTS

DECLARATION	i
DEDICATION	ii
ACKNOWLEGMENT	iii
TABLE OF CONTENTS	,iv
ABSTRACT	viii
CHAPTER ONE	1
INTRODUCTION	
1.1 Back ground	1
1.2 Problem statement	2
1.3 Overall objectives.	2
1.4 Specific objectives.	2
1.5 Research questions.	2
1.6 Significance of the study	3
1.8 Scope of the study.	
CHAPTER TWO	5
LITERATURE REVIEW	5
2.1. Poultry farming in Uganda	5
2.2. Poultry breeds in Uganda	,5
2.3Importance and use of rural poultry	6
2.4 Limitations	<u>.</u>
2.4.1 Feeding	6
2.4.1.1 Feeding indigenous poultry	7
2.4.1.2 Commercial poultry feeding.	8
2.4.2 Diseases	8
2.4.2.1 Causes of disease outbreak in a flock.	9
2.4.2.2 Common diseases and epidermiology.	10

2.4.2.3 Management of diseases10
2.4.2.4 Biosecurity
2.4.3 Capacity of veterinary services
CHAPTER THREE
MATERIALS AND METHODS
3.1 Introduction
3.2 Research Design
3.4 Sample size determination and Sampling design
3.4 Operational design.
3.5 Observational design
3.6 Data analysis14
3:7 Data presentation
3.8 Ethical considerations
3.9Environmental concern
CHAPTER FOUR15
RESULTS15
4.1 Social economic characteristics of respondents
4.1.1 Type, breeds and number of birds kept
4.2 Feeding and feed resources
4.3 Disease occurrence and management of birds
4.5 Other constraints26
CHAPTER FIVE
DISCUSSION28
CHAPTER SIX
CONCLUSION AND RECOMMENDATIONS
REFERENCES
APPENDICES

#### LIST OF TABLES AND LIST OF FIGURES

#### LIST OF TABLES

Table 1 shows the household characteristics of poultry farmers	15
Table 2Showing the breed and number of birds kept	16
Table 3: Showing frequency of feeding and quantity of feed provided in a day	17
Table 4: Showing the ingredients provided, source of concentrates, time the concentrate	s are
provided, reasons for providing the concentrates and failure to provide supplements	19
Table 5:Showing how often the troughs were cleaned	21
Table 6: Showing disease occurrence and management of birds	21
Table 7: Showing handling of sick birds	22
Table 8: Showing kind of medicine used	23
Table 9:Showing handling of dead birds	23
Table: 10 Showing efficiency of the extension services, reason for not receiving extension	nc
services and source of information about improved poultry production	26
LÍCÝ ÁT FICUDEC	
LIST OF FIGURES	
Figure 1: Showing the species of poultry kept	J6
Figure 2: Showing the feed resources	17
Figure 3: Showing supplementary feeding of the birds	,18
Figure 4: Shows Troughs used for feeding	20
Figure 5: Showing frequency of water provision	20
Figure 6: Showing common diseases	,22
Figure 7: Showing scavenging of birds	22
Figure 8: Showing vaccination of birds	24
Figure 9: Showing replacement of birds	24
Figure 10: Showing extension service providers	25
Figure 11: Showing how often the services are provided	,.25
Figure 12: Showing external parasites	27
Figure 13: Showing other incidences	,.27

#### LIST OF ABBREVIATIONS.

FAO Food and Agriculture Organization.

MAAIF Ministry of Agriculture Animal Industry and Fisheries.

NAADS National Agricultural Advisory Services.

NARO National Agricultural Research Organization.

PMA Plan for Modernization of Agriculture.

UBOS Uganda Bureau of Statistics.

UPE Universal Primary Education

USAID United States Agency for International Development.

USE Universal Secondary Education

#### ABSTRACT

The study was conducted with a view to identify factors that limited commercialization of small scale poultry production in selected villages of Kaderuna sub-county. 100 farmers were randomly selected and interviewed using questionnaires. Interview and observation guides were also used to obtain data, The study was conducted between the months of February and May 2015.

Poultry diseases stood as the major challenge by 98% of the farmers in form of Newcastle disease and Gumboro and mainly in the dry season, though farmers 52% attempted to treat birds themselves using traditional, commercial and human medicine, they only consulted veterinary personnel when birds failed to recover. Birds scavenged and sometimes 92% of the farmers supplemented them with leftover food, field grains, commercial feeds and vegetables which were of poor quality, given mostly on ground surface by 65% of the farmers and others used dirty troughs, broken jerry cans, pots and plates. Due to poor and irregular extension services, as only 15% of the farmers had access to extension services, they lacked awareness about all the aspects of poultry production like feeding, health, housing, breeding and marketing. Other limitations were accidents from vehicle, bicycles and motorcycles, theft and vermin incidences

Based on this, it was concluded that feeding, diseases and extension service delivery limited commercial poultry production and remained serious issues in the study area. It was thus recommended that conscious efforts should be put up by farmers to ensure safety of their birds and good feeding routine for increased productivity and beneficial returns, with the guidance of the subject matter specialists like animal husbandry and veterinary officers.

# CHAPTER ONE INTRODUCTION

#### 1.1 Back ground.

The world poultry population has been estimated to be about 16.2 million with 17.6% in the developing countries (Gueye, 2002). Commercial poultry production in the world encompasses a number of different species including the chicken reared for laying eggs (layers) or meat production (broilers), turkeys, ducks and other water fowls and game birds (USDA, 2002).

In Africa indigenous poultry makes up over 70% of the total poultry population (Kingori et al., 2010). Commercial poultry production in Nigeria applies to a wide variety of birds of several species including chicken, guinea fowl, pigeons, ducks, geese, turkey etc.

Kitalyi (1998) found out that in East Africa over 75% of these households keep indigenous poultry and Uganda is not exception to this situation.

According to MAAIF (2006), poultry industry is estimated to consist of 21.8 million birds and estimated to consist of mainly chicken comprising of 10 million birds. The national chicken flock was 37.4 million and composed of 3.7 million (15.8%) exotic/crossbred chicken and 19.8 million (84.2%) local ones. The Eastern Region had 7.4 million birds (37.3%). The Central and Northern regions 4.3 million (21.7%) and 4.2 million (21.3%) respectively. The Western Region, with 3.9 million. (Kugonza, 2008). Over 90% of Uganda's birds are indigenous stock reared under backyard system and the other 10% consists of improved exotic commercial stock (Olaboro, 1990). Constraints to increased production and productivity of local poultry include, but not limited to, low genetic potential of local poultry, lack of knowledge in animal husbandry, poor feeds in quality and quantity, poor housing, poor health, predators and thefts, lack of planned breeding and poor marketing structures. (Busulwa, 2009). The village flocks consist of un improved local chicken typically 5-20birds per family (Okot, 1990). Mortalities due to diseases and predation have been so high that poultry production has been too low and irregular in African countries (Kitalyi, 1988).

#### REFERENCES

- Adebayo, O., & Adeola, R. (2005). Socio-economic factors affecting poultry farmers in Ejigbo local government area of Osun State. *Journal of Human Ecology*, 18(1), 39-41.
- Adedeji, O. S., & Ajayi, J. A. (2005). A case satudy. The extent of commercial poultry production in saki-western local government area of Oyo state Nigeria.
- Austic, R. E., Malden, C., Nesheim (Ed.). (2013). Factors affecting hatchability in Poultry production.
- Busulwa, S. H. (Ed.). (2009). Poultry genetic resources and small poultry production systems in Uganda. National Agricultural Genetic Resources and Data Bank (NAGRC&DB).
- Demeke, S. (Ed.). (2008). Poultry sector country review.
- Dinesh, M. T., Solkner, J., Wurzinger, Geerlings. E., Thiem, E., Thea, S (Ed.). (2008). characterisation of indigenous chicken production systems in Cambodia.
- FAO (Ed.). (2014). Decision tools for family poultry development. FAO animal production and health guidelines. No 16 Rome Italy.
- Gueye, E. (2002). Family poultry research and development in low-income food-deficit countries: approaches and prospects. *Outlook on Agriculture*, 31(1), 13-21.
- Halima, H., Neser, F., Van Marle-Koster, E., & De Kock, A. (2007). Village-based indigenous chicken production system in north-west Ethiopia. *Tropical animal health and production*, 39(3), 189-197.
- Hassen, H. N. F. W. C., Van Marle-Koster E, Dekock, A. (Ed.). (2007). Village based indigenous chicken production system in North-west Ethiopia
- Ochieng1, G Owuori, B O Bebe3 and D O Ochieng1. (2011). Effect of Management Interventions on Productive Performance of Indigenous Chicken in Western Kenya.
- Jayne, T. S., Yamano, T., Weber, M. T., Tschirley, D., Benfica, R., Chapoto, A., et al. (2003).
  Smallholder income and land distribution in Africa: implications for poverty reduction strategies. Food Policy, 28(3), 253-275.
- Justus, O., Owuor, G., & Bebe, B. O. (2013). Management practices and challenges in smallholder indigenous chicken production in Western Kenya. Journal of Agriculture and Rural Development in the Tropics and Subtropics (JARTS), 114(1), 51-58.
- Kajura, C., and Bwali. (2007). Hoima district NAADS progress report. July 2006-June 2007.
- Kitalyi, A. J. (1995). Village chicken production systems in rural Africa house hold food security security and gender issues. Andre mayer research fellow (1994-1995). FAO Animal production and health paper.

- Kitalyi, A. J. (1998). Village chicken production systems in rural Africa: household food security and gender issues (Vol. 142): Food & Agriculture Org.
- Kugonza, D. R., Kyalisiima, C. C., and Lisa, A. (2008). Indigenous chicken flocks in eastern Uganda; productivity management and strategies for better performance. Livestock research for rural development. *Volume 20*
- McMichael, P. (2009). Banking on agriculture: a review of the World Development Report 2008.

  Journal of Agrarian Change, 9(2), 235-246.
- Mekonnen, G. (2007). Characterization of smallholder poultry production and marketing system of Dale, wonsho and loka abaya weredas of southern Ethiopia. Msc. Thesis presented to the School of Graduate Studies of Hawassa University.
- Moges, F., Mellesse, A., & Dessie, T. (2010). Assessment of village chicken production system and evaluation of the productive and reproductive performance of local chicken ecotype in Bure district, North West Ethiopia.
- Molla, M. (2010). Characterization of village chicken production and marketing system in Gomma Wereda, Jimma Zone, Ethiopia.
- Mukiibi-Muka, G. (1992). Epidemiology of Newcastle disease in village chickens and the need to vaccinate them. Newcastle disease in village chicken. Control with thermo-stable oral vaccines. Ed. PB Spradbrow. Proceedings (39), 155-158.
- Nahamya, F., Mukiibi-Muka, G., Nasinyama, G., & Kabasa, J. (2006). Assessment of the cost effectiveness of vaccinating free range poultry against Newcastle disease in Busedde subcounty, Jinja district, Uganda. Livestock Research for Rural Development, 18(11).
- Nasinyama, G. W., Cole, D. C., & Lee-Smith, D. (2010). Health impact assessment of urban agriculture in Kampala African Urban Harvest (pp. 167-190): Springer.
- Natukunda, K., Kugonza, D., & Kyarisiima, C. (2011). Indigenous chickens of the Kamuli Plains in Uganda: I. Production system and flock dynamics. *Livestock Research for Rural Development*, 23(10).
- Ojok, L. (1993). Diseases as important factor affecting increased poultry production in Uganda.

  Der Tropenlandwirt-Journal of Agriculture in the Tropics and Subtropics, 94(1), 37-44.
- Okitoi, L., Ondwasy, H., Obali, M., & Murekefu, F. (2006). Gender issues in poultry production in rural households of Western Kenya. KARI-Kakamega, Ministry of Livestock and fisheries, Kakamega.
- Petrus, N., Mpofu, I., & Lutaaya, E. (2011). The care and management of indigenous chicken in Northern communal areas of Namibia. *Livest. Res. Rural Dev.* 23, 12.
- Sebushahu, T. (2008). Poultry sector country review, Burundi.

- Smith, A. (2001). Poultry: The Tropical Agriculturalist, Revised Edition. CTA/Macmillan Publishing Company, 1-78.
- Sonaiya, E., Branckaert, R., & Gueye, E. (1999). The scope and effect of family poultry research and development. Paper presented at the Research and development options for family poultry. First-INFPD/FAO Electronic Conference on Family Poultry. <a href="http://www.faoext02">http://www.faoext02</a>. fao. org/WAICENT/FAOINFO/AGRICULT/AGA/A.
- Ssentumbwe, J. (Ed.). (2006). Review of the Poultry Sector in Uganda: Ministry of Agriculture, Animal Industry and Fisheries.
- Ssewannyana, E., Ssali, A., Kasadha, T., Dhikusooka, M., Kasoma, P., Kalema, J., et al. (2008).

  On-farm characterization of indigenous chickens in Uganda. *J. Anim. Plant Sci.*, I(2), 33-37.
- State, A. E., Birungi, P.B., and Nicoline, D. H. (2009). The role of poultry in peoples livelihood in Uganda.
- Sumberg, E. J. (1996). Livestock production in peri urban areas of Africa. An analysis of Dar es salaam mwanza and shinanya. Tanzania.
  - Taylor-Powell É (1998). Sampling programme development and evaluation, Texas Agricultural extension service, the Texas A and G University System College, Texas.
- UNDP. (2008). United Nations Development Programme report.
- USAID, (2010), partnership for safe poultry in Kenya (PSPK) programme. Regional poultry value chain analysis.