ASSESSMENT OF THE IMPACTS OF SUGARCANE GROWING ON THE WETLANDS ECOSYSTEM AND THE COMMUNITY

CASE STUDY OF MUKONO DISTRICT KASAWO SUB COUNTY

BY

KISIRA ISAAC

BU/UG/2012/120



A RESEARCH REPORT SUBMITTED IN PARTIAL FULLFILMENT OF THE REQUIREMENT FOR THE AWARD OF A DEGREE IN BACHELOR OF SCIENCE IN NATURAL RESOURCE ECONOMICS OF BUSITEMA UNIVERSITY.

JUNE 2015

DECLARATION

I KISIRA ISAACdeclare that this research report submitted to the Faculty of Natural Resource and Environmental Science is my original work and to the best of my knowledge, it has not been submitted by any other person to any institution for any academic qualification.

0 Signature..... Date. 25th 106/2015 **KISIRA ISAAC**

APPROVAL

This serves to certify that this research assessment of the impacts of sugarcane growing on the wetlands ecosystem and the community by **KISIRA ISAAC** has been submitted with my approval as a University supervisor of Busitema University.

University Supervisors Name;

Dr Alice Nakiyemba Date 25 06 2015

DEDICATION

• 2

21

4÷,

This piece of work is dedicated to the family of my father Muloki Paul and my mother Namusisi Margret in appreciation of the support, care and love offered to me. I also dedicate to my beloved uncles Simali Wilson, Kanyike Nelson, my brother Isooba Fred, all my sisters Musigire Mary, Namuyobe Milly, and friends; Naturinda Zerubabel, Wamala Bazirio, Muhumuza Keneth, Atugumya Armstrong Barcerona, Kijali Julius, Wakoba Fred. May the almighty Lord reward them abundantly.

ACKOWLEDGEMENT

۰,

۰.

 $\sim \epsilon$

I acknowledge my university supervisor **Dr** Alice Nakiyemba for the support and effortstime of preparation of this work.

Great thanks go to dear friends who helped during the time when this research was being conducted for guiding and encouraging me.

Finally I acknowledge the family of Mr. Muloki Paul and Miss Namusisi Margret for their support. May God bless you.

I give great thanks to the Almighty GOD who gave me the gift of life and made through unbearable times at the University.

TABLE OF CONTENTS

- ;

ς.

٠,

A RESEARCH REPORT SUBMITTED IN PARTIAL FULLFILMENT OF THE REQUIREMENT FOR THE AWARD OF A DEGREE IN BACHELOR OF SCIENCE IN NATURAL RESOURCE ECONOMICS OF BUSITEMA UNIVERSITY
JUNE 2015
DECLARATION
APPROVAL
DEDICATION
ACKOWLEDGEMENT
TABLE OF CONTENTS
LIST OF TABLES
LIST OF ACRONYMS AND ABBREVIATIONS
ABSTRACT
CHAPTER ONE: INTRODUCTION
1.1 INTRODUCTION
1.2 BACKGROUND OF THE STUDY
1.3 PROBLEM STATEMENT
1.4.0 OBJECTIVES OF THE STUDY
1.4.1 The main objective of the study
1.4.2 The specific objectives
1.5 Research Questions
1.6 Conceptual frame work
1,7Justification/Significance
1.8 Limitation of the study
1.9 Scope of the study
CHAPTER TWO: LITERATURE REVIEW
2.1 Introduction
2.2 impacts of sugarcane growing on people's livelihood in the community
2.3 impacts of sugarcane growing on water and wetland biodiversity
2.4 Impacts of sugarcane growing on climate
2.5 To suggest recommendations that would enhance sustainable wetland management and sugar cane growing in the area
CHAPTER THREE: METHODS AND MATERIALS

3.0 Introduction
3.1 Research design
3.2 Study sites
3.2.1 Study population
3.3 Sample size and procedure
3.4 Data types and Data collection methods16
3.4.1 Sources of Data
3.4.2 Data types
3,4.3 Data Collection methods
3.5 Validity and Reliability of data collection instruments
3.6 Data collection tools
3.7 Data processing and analysis
3.8Ethical considerations
4.0 CHAPTER FOUR: DATA ANALYSIS AND DISCUSSION
4.1 Introductions
4.1.1 Village name
4.1.2 Sex of respondent
4.1.3 Age of the respondent
4.1.5 Period stayed in the area
4.1.6 Population size per household
4.1.7 Religion of the respondents
4.1.8 The education level of the respondent
4.1.9 Nature of employment
4.2.0 To find out the impacts of sugarcane growing on peoples livelihoods in the community 26
4.2.1 Land ownership
4.2.2 Land size in acearages
4.2.3 Area covered by sugarcane
4.2.4 Respondents' monthly earnings
4.3 To find out the impacts of sugarcane growing on water and wetland biodiversity
4.3.1 Respondents' use of fertilizers in their gardens
4.3.2 Type of fertilizers used in the gardens
4.3.3 How organic fertilizers impact water quality
4.3.4 Pest control measures
4.3.5 Irrigation of crops

÷

	4.4.0 Impacts of sugarcane growing on climate of the area	49
	4.4.1 Experience of flooding in the research areas	49
	4.5 People's awareness of the policies governing wetland management	50
	4.5.1 The relationship between people's education level and people's awareness about the existing wetlands policies and laws	,51
	4.5.2 Government interventions in the management of the wetland	51
	5.1 Introductions	53
	5.2 Conclusions	53
	5.3 recommendations	54
R	EFERENCES	57
À	PPENDIX	58

۶,

ý

ų,

LIST OF FIGURES

Figure 1 Conceptual framework
Figure 2 sex of respondents
Figure 3 age categories of respondents
Figure 4 respondents religion
Figure 5 education level of respondents
Figure 6 nature of employment of respondents
Figure 7 land sizes of respondents
Figure 8 area covered by sugarcane of respondents
Figure 9 monthly earnings of respondents
Figure 10 respondents use of fertilizers
Figure 11 Relationship between land size in acearages and respondents use of fertilizers
Figure 12 types of fertilizers used by respondents
Figure 13 Relationship between education level and respondents use of different fertilizer types 34
Figure 14 organic fertilizers make water dirty
Figure 15 organic fertilizers make water bitter
Figure 16 inorganic fertilizers make water dirty
Figure 16 inorganic fertilizers make water dirty
Figure 16 inorganic fertilizers make water dirty
Figure 16 inorganic fertilizers make water dirty
Figure 16 inorganic fertilizers make water dirty
Figure 16 inorganic fertilizers make water dirty
Figure 16 inorganic fertilizers make water dirty
Figure 16 inorganic fertilizers make water dirty.37Figure 17 inorganic fertilizers make water bitter.38Figure 18 respondents use of pest control measures.40Figure 19types of pest control measures.41Figure 20 spraying makes water bitter.42Figure 21 spraying leads to growth of algae43Figure 22 spraying kills wild plants and animals44Figure 23 Irrigation of crops45
Figure 16 inorganic fertilizers make water dirty
Figure 16 inorganic fertilizers make water dirty

Figure 27 experience of flooding
Figure 28 Government interventions in sustainable wetland management and sugarcane growing51
Figure 29 Relationship between education level and government intervention in sustainable wetland
management and sugarcane growing

чŝ

LIST OF TABLES

ъЪ

J,

•

Table 1 name of the villages of respondents
Table 2 marital status of respondents
Table 3Period stayed in the area
Table 4 relationship between age and marital status of respondents
Table 5 number of people per household
Table 6 relationship between sex and education level
Table 7Respondents ownership of land
Table 8 relationship between income level and land ownership of respondents 27
Table 9 relationship between education level and respondents awareness of inorganic fertilizers making water bitter 39
Table 10 relationship between education level and pest control measures
Table 11 relationship between education level and irrigation
Table 12 sugarcane consumption of water
Table 13 Relationship between time spent in the area and respondents experience of flooding
Table 14people's awareness of the existing wetland management policies
Table 15 relationship between respondents' education level and their awareness of the existing wetland policies and laws 51
Table16 relationship between education level and respondents use of fertilizers
table 17 relationship between education level and government intervention in sustainable wetland management and sugarcane growing
Table 18 relationship between education level and respondents use of fertilizers

LIST OF ACRONYMS AND ABBREVIATIONS

---4

CO_2	Carbon dioxide
FAO	Food agricultural organization
FGD	Focus Group Discussion
ĠDP	Gross domestic product
IFPR	International Food Policy Research Institute
IPCC	Intergovernmental Panel on Climate Change
IPM	Integrated Pest Control Management
N/A	Not Applicable
NAADS	National Agricultural Advisory Services
NAAIP	National Accelerated Agricultural Input Programme
SPSS	Statistical package for social scientists
UBOS	Uganda national bureau of statistics
UG	Uganda shillings
UNFCCC Change	United Nations Framework Convention on Climate

ABSTRACT

The research is about assessment of the impacts of sugarcane growing on wetlands ecosystem and the community, the case of Ndese wetland, Kasawo Sub County, Mukono district, Sugarcane is a thirsty crop, consuming a great deal of water. Since many wetlands have been converted to agriculture, according to (NEMA, 2010), the speed of development is higher than that of conservation and this difference has implications on wetland sector appearing as though there is no effort towards wetland conservation They can also be defined as transitional lands between terrestrial and aquatic systems covered by shallow water. (National Wetlands Conservation and Management Program: republic of Uganda), The increased demand for sugar both at national and international levels has forced many sugar factories to look for vast areas for growing sugar cane. This has led to increased exploitation of wetlands such as Ndese wetland that has led to loss of bio diversity, lives, flooding, food insufficiencies in homes and other challenges. Therefore there is need for the community and the government at large to come up with strategies that promotes sustainable sugarcane growing as well as wetland conservation.

The study composed of a sample of 65 respondents with the main objective of assessing the impacts of sugarcane growing on the wetlands ecosystem and the community. The researcher used questionnaires and interviews to gather information on sugar cane growing that involved interviewing farmers, teachers, politicians and other groups in the study area. The data was analyzed using SPSS software which included which involved computation of percentages and frequencies including pie charts and bar charts.

The research found out that families within the study areas have experienced insufficient food challenges and hunger. This was due to increasing sugar cane growing in the areas with yet they have limited land as shown 86.6% of the respondents have less than or equal to 2 acres but use much of the land for sugarcane growing together with pests and diseases that affects various crops such as maize, beans, cassava, flooding of the wetland that destroys crops as 52.31% of the respondents have experienced flooding in the area. The findings from the study indicated that most of the people around the wetland derive their livelihoods from the wetland to support their families. This therefore calls for government intervention through different ways to mitigate the impacts from these activities though the statistics indicate that 69,23% of the respondents argued that the government has not intervened in the conservation of the wetland. The findings of the study reflected a positive relationship between the dependent and independent variables.

Conclusions from the findings indicates that, from the sex perspective, males were the major users of Ndese wetland in Kasawo Sub County as they covered 58.46% of the total sample taken compared to females of 41.54%. There was a positive relationship between respondents' education level and pest control measures using the Pearson correlation shows that is the P value (P 0.011 < 0.05). This means that the education level is significant in determining some ones knowledge about the use of pest control measures. In terms of livelihoods, this was expressed as most of the respondents had small pieces of land for which they gave a part for growing sugarcane. This seemed to be a threat to the community in terms of food scarcity and hunger.

CHAPTER ONE: INTRODUCTION

1.1 INTRODUCTION

Kasawo Sub County is located in Mukono district found in Buganda region known as central Uganda. Kasawo is located approximately 46 kilometers (29 mi), by road, northeast of Mukono, the location of the district headquarters. This location lies on the western banks of River Sezibwa, approximately 60 kilometers (37 mi), by road, northeast of Kampala, the capital of Uganda and the largest city in that country. The coordinates of Kasawo are: 0° 40' 48.00"N, 32° 49' 30.00"E (Latitude: 0.6800; Longitude: 32.8250).

1.2 BACKGROUND OF THE STUDY

Sugarcane is essentially considered a tropical crop. The major conducive agro climatic components that control sugarcane growth and productivity include adequate annual rainfall, warm temperatures, and adequate sunshine hours, fertile loamy soils which are freely draining and high incidences of solar radiation all of which are available. In addition, there are enough water bodies like rivers and lakes which provide the necessary water requirements for sugarcane processing and irrigation of cane in the field.

The sugar industry is one of the oldest industries in the country, with its history dating back to early 1920. By the 1960's, the sector's annual production was about 140,000 tonnes of which 120,000 tonnes was for domestic consumption and 20,000 tonnes for export. However production declined significantly during the 1970's because of mismanagement and neglect of the estates. After 1986, the industry steadily picked up following rehabilitation and divestiture programmes undertaken jointly by Government and the private sector. Over the last 10 years, the industry has been expanding production by nearly 20% per annum culminating into production of 287,387 tonnes of sugar in 2009.

The high photosynthetic capacity of sugar cane makes it an important source of energy. A comparison of the energy value of the cane biomass and the energy consumed in its harvest and cultivation shows a ratio of 20:1. This makes sugar cane a biomass of enormous interest at present, as alternatives are under study to reduce the rate of gas accumulation and consequent global warming, as a result of the use of fossil fuels. The cane sugar industry creates its own fuel, bagasse, which is not only capable of satisfying the energy demands of

REFERENCES

Bank of Uganda, Agricultural Policy Secretariat, 1992)

FAO 2003, Integrated Pond Aquaculture in Lake Victoria Wetlands

Joseph K. Mukiibi, 2001. Agriculture in Uganda Volume II

Kagwa R, 2009 Enhancing Wetlands contribution to growth, employment and prosperity, published by UNDP/ NEMA/UNEP Poverty Environment Initiative, Uganda

Ministry of Water and Environment (2005)

United Nations Conference on the Environment and Development, June 1992, Brazil

Bhattacharyya, P. and G. Chakraborty (2005), Current Status of Organic Farming in India and Other Countries, Indian Journal of Fertilizers. December, 1(9):111-123.

Samui, R. P.; P. S. Kulkami and N. G. Vaidya (2005), On Growth and Fluctuations of Production, Area and Yield 184 of Sugarcane in the Districts of Maharashtra, Agricultural Situation in India, LXII (3): 41-52.

Singh, G B and A. Swarup (2000), Lessons From Long Term Fertility Experiments, Fertilizer News, 45 (2): 21-24.

NEMA, (1994, 1998, 1999, 2010, 2011) State of Environment Report

Uganda Bureau of Statistics, 1999

Wetland Management Department, 2011

National Environment Management Authority (NEMA) 2007 State of the Environment Report for Uganda 2006/2007 Kampala, Uganda: Government of Uganda

National Industrial Policy February 2008

A more pro active extension service involving the farmers, companies, and Ministry, Waswa et al. J. Appl. Biosci 2012, Contract sugarcane farming and farmers' incomes in Lake Victoria Basin, Kenya.

Mukono District Local Government Statistics abstract 2009

Intergovernmental Panel on Climate Change IPCC (4th assessment in 2007)

Singh, I P, B Singh and H S Pal (1987), Indiscriminate Fertilizer Use vis-à-vis Groundwater Pollution in Central Punjab, Indian Journal of Agricultural Economics, 42 (3):404-409.

Chemonics International and MUIENR. 2001. Environmental Threats and Opportunities Assessment for Uganda. Biodiversity Assessment. Report Submitted to USAID, Kampala