

P.O. Box 236, Tororo, Uganda Gen: +256 - 45 444 8838 Fax: +256 - 45 4436517 Email: info@adm.busitema.ac.ug

www.busitema.ac.ug

# THE IMPACT OF MECHANICAL POST HARVEST DAMAGES OF TOMATOES ON PROFIT MARGINS IN SOROTI CITY WEST AND EAST

#### $\mathbf{BY}$

STUDENT NAME: ARINITWE BENEX REG N0: BU/UP/2018/2811

SUPERVISOR: MR OGULLI FRANCIS

A RESEARCH REPORT SUBMITTED TO BUSITEMA UNIVERSITY DEPARTMENT OF AGRIBUSINESS EXTENSION FOR AWARD OF BACHELOR OF AGRIBUSINESS.

MAY, 2023

## **DECLARATION**

I Arinitwe Benex hereby declare that the work presented in this dissertation is my own and to the best of my knowledge has never been submitted to any institution of learning for any academic award. Where the work of others has been used acknowledgments have been made.

Signature Berex

Date 09/06/2023

## **APPROVAL**

This is to certify that the research dissertation titled "the impact of mechanical post-harvest damages on profit margins on tomatoes in Soroti city west and east" has been compiled under my supervision and now is ready for submission with my approval.

Date 12/06/2023

RESEARCH SUPERVISOR

Mr. OGULLI FRANCIS

# **DEDICATION**

I dedicate this work to my dear parents Mr Ndibalema Happiness and Mrs Asaba Clemensia, My children Arinitwe Lameck, Arinitwe Joshua Eyan for their love and prayers during my education.

#### **ACKNOWLEDGEMENT**

I am so grateful to the Almighty God for the gift of life, knowledge, and wisdom with which the completion of this research has become a reality. May his name be glorified forever! Amen I need to also acknowledge the role played by my supervisor Mr Ogulli Francis for his guidance, advice, time and efforts surrendered to supervise me.

I also need to thank Mr Mayamba Latiff officer in charge Namalu farm prison, Mr Atwine Deodato officer in charge Soroti main prison for their love and spiritual support during my education without which I would not have got a chance to complete this research.

I also need to recognize the support from my academic friends; Lolu Simon Peter, Sunday Jordan, Okirrior Samuel Akello Semmy ,Naluiba Oliver. Your comfort and constructive ideas contributed significantly to the academic success as well as completion of this research. Last but not least, I need to extend my sincere thanks to tomato retailers of Otucopi and Nakatunya markert that participated in this study. The information you gave me about the impact of mechanical post harvest damages of tomatoes on profit margins contributed significantly to the value and relevance of this research report.

#### **ABSTRACT**

The study employed primary data using structured questionnaire to collect information from 80 respondents selected using census survey method. The impact of mechanical post harvest damages of tomatoes on profit margins, main objective was to impact of mechanical post-harvest damages and profit margin of tomatoes among retailers in Soroti city west. **The specific objectives was to** assess the effect of packaging methods on mechanical post-harvest damage of tomatoes, to assess the effects of mechanical post-harvest damage of tomatoes on profit. Data collected was analyzed using descriptive statistics, gross margin using Spss and excel version 20.0 The result of the analysis revealed that the best tomato transporting material that had minimal mechanical damages were woven baskets with the gross profit margins of 29.4%, 29.4%,29.9%,92.9% on bruises, cuts, scratches, pits respectively.

The operating profit margin of 35% indicated that the tomato retail business was feasible to tomato retailers and therefore they were able to recover expenses and generated profit with the gross margin of 35.9%.

In conclusion the lower the gross margin, the lesser mechanical post harvest damages of tomatoes and the higher the gross margin the less damages in the tomato transporting material.

The best transporting material for tomatoes among retailer should be woven.

## TABLE OF CONTENTS

DECLARATION	i
APPROVAL	ii
DEDICATION	iii
ACKNOWLEDGEMENT	iv
ABSTRACT	v
LIST OF TABLES	ix
LIST OF FIGURES	x
LIST OF ABBREVIATIONS	xi
CHAPTER ONE	1
1.0 Back ground of the study	1
1.2 Problem statement.	4
1.3 The research objective.	4
1.3.1 General Objective	4
1.3.2 The specific objectives.	4
1.4 Research questions.	5
1.5 Justification	5
1.6 Significance of the study	5
1.7 Scope of study.	5
1.7.1 Geographical scope	5
1.7.2 Time Scope	6
1.8 Conceptual frame work of study	6
CHAPTER TWO	7
LITERATURE REVIEW	7
2.0 Introduction	7
2.1 The packaging of tomatoes during transportation.	7
2.2. Traditional baskets	7
2.3 Wooden and plastic plates	7
2.4. Plastic films	7

2.5 Papaya as a packaging material	7
3.0 The mechanical post harvest damages of tomatoes.	8
3.1 Bruises:	8
3.2 Scratches	8
3.3 Cuts	8
4.1 The gross profit margin	9
4.2 Operating profit margins	9
CHAPTERTHREE	10
METHODOLOGY	10
3.0 Introduction.	10
3.1 The location of Soroti city.	10
3.2 Research Design.	10
3.3 Study Population	11
3.4 Sample Size.	11
3.5 Data collection technique.	11
3.6 Data Sources.	11
3.6 Data Collection Method	11
3.7 Data Collection Method	12
3.8 Data Collection Instruments.	12
3.9 Data Collection Procedure.	12
3.9.2 Data analysis.	13
3.9.3 Ethical Considerations.	13
3.9 Validity and Reliability of research instruments	13
3.9.1 Validity	13
3.9.2 Reliability	13
CHAPTER FOUR	14
PRESENTATION AND DISCUSSION	14
4.0 Introduction.	14
4.1 Gender of the respondent	14

4.2 Age of the respondents
4.4 Marital status of the respondents
4.5 Tomato varieties retailed in Otucopi and Nakatunya markets
4.6 Different kinds of damages of tomatoes among retailers in Soroti city
4.7 Effects of mechanical post harvest damages on different tomato varieties retailed in Soroti city west and East
4.8 Cost and returns of tomato retailing
CHAPTER FIVE21
CONCLUSIONS AND DISCUSSION OF FINDINGS
5.0 Introduction. 21
5.1 Conclusion
5.2 Recommendations. 21
REFERENCES
APPENDICES
Appendix 1: Questionnaire

## LIST OF TABLES

Table 1: the number of years respondents spent in tomato retail business	16
Table 2: transporting packages used by tomato retailers in Soroti city	16
Table 3: tomato varieties retailed in Soroti city east and west	17
Table 4: effects of mechanical damages post harvest damages on different tomato varie	eties retailed
in Soroti city west and East.	18

# LIST OF FIGURES

Figure 1 conceptual framework	6
Figure 2 the sketch map of the study area	10
Figure 3; the age of tomato retailers in Soroti city west	14
Figure 4: the marital status of respondents in Soroti city west.	15
Figure 5: education levels of the respondents in the study area	15
Figure 3: mechanical postharvest damages experienced by tomato retailers in Soroti city	18

# LIST OF ABBREVIATIONS

REG NO Registration Number

Sign Signature

Kgs Kilograms

% Percent

MAP Modified Atmospheric Pressure

F1 First generation

Mr Mister

F Frequency

P Percentage

#### CHAPTER ONE

## 1.0 Back ground of the study.

This chapter covers back ground, problem statement, research objective, specific objectives, research questions, justification of the study, significance of study, time of scope of study conceptual frame work.

Tomato (solanum Lycopersicon) is the second most important vegetable after potato that is produced for its edible fruits (Gatahi, 2020). In its fresh forms tomatoes are eaten as a fruit or salads, processed into paste, juices, soup (Deribe *et* al., 2016). When ripe it is rich in health promoting compounds that are thought to promote health conditions (Gabriel, 2021).

It is estimated to be 186,821million metric tons produced globally on 5,051,983 hectares in 2020 (Edward, 2014). China is the world's largest producer of tomatoes with 64,768.16 million kilos of the world's total production, followed by India which produced 20,573 million tons of tomatoes from 812,000 hectares (Deribe *et* al., 2016).

Africa contributes 11.8% of the total tomato production. Trends show that Egypt was still leading tomato producer in Africa, followed by Nigeria (Arah *et* al., 2015).

In East Africa 1.9 million metric tons of tomatoes are produced annually with Tanzania and Kenya as leading producers followed by Uganda which produces 40,124 tons of tomatoes from 6671 hectares (Arah *et* al., 2015).

Its perish-ability and susceptibility to mechanical damage during handling and transportation most tomatoes do not reach their end use or they do with poor quality (Al-Dairi *et* al. 2021). Mechanical damage and bruising of tomatoes during transportation is due to a variety of forces subjected to the fruits during freight which include: vibration, abrasive forces, impact, compression and cutting forces. Post-harvest losses in tomatoes can reach up to 25-42% worldwide.

These losses result in poor performance of producers, processors and traders, as well as throughout the country suffering from the incomes of foreigners. Further losses in tomatoes can be quantitative or qualitative. Although the emphasis on crop research today differs more from quantity to product quality, there is little improvement in the quality of commercially grown tomato varieties (Shettima, 2022). However, the quantitative loss in tomato production may have a negative effect

#### REFERENCES

Aba, I. P., Gana, Y. M., Ogbonnaya, C., & Morenikeji, O. O. (2012a). Simulated transport damage study on fresh tomato (Lycopersicon esculentum) fruits. October 2016.

Aba, I. P., Gana, Y. M., Ogbonnaya, C., & Morenikeji, O. O. (2012b). Simulated transport damage study on fresh tomato (Lycopersicon esculentum) fruits. 14(2), 119–126.

Al-Dairi, M., Pathare, P. B., & Al-Yahyai, R. (2021). Effect of postharvest transport and storage on color and firmness quality of tomato. *Horticulturae*, 7(7). https://doi.org/10.3390/horticulturae7070163

Arah, I. K., Amaglo, H., Kumah, E. K., & Ofori, H. (2015). Preharvest and postharvest factors affecting the quality and shelf life of harvested tomatoes: A mini review. *International Journal of Agronomy*, 2015. https://doi.org/10.1155/2015/478041

Deribe, H., Beyene, B., & Beyene, B. (2016). Review on pre and post-harvest management on quality tomato (Lycopersicon esculentum Mill.) production. *Food Science and Quality Management*, 54(January 2019), 72–79.

Desta, B., Tena, N., & Amare, G. (2022). *Preharvest Factors that Influence the Quality of Tomato*. 4(1), 6–12.Edward, S. E. and J. K. (2014). 2 1 9085. *Complementary Feeding Practices in Wakiso District of Uganda*, 14, 9085–9103.

Ellen, L., Olu, F., Sekyere, A., & Cornelia, T. (2022). Assessment of Post-Harvest Handling Practices of Tomatoes Farmers and Retailers in Some Selected Districts in the Upper West Region of Ghana. 13(1), 1357–1378.

Gabriel, D. (2021). Practices and Constraints of Tomato Production. *African Journal of Food, Agriculture, Nutrition and Development*, 21(2), 17560–17580.

García-García, I., Taboada-Rodríguez, A., López-Gomez, A., & Marín-Iniesta, F. (2013). Active Packaging of Cardboard to Extend the Shelf Life of Tomatoes. *Food and Bioprocess Technology*, 6(3), 754–761. https://doi.org/10.1007/s11947-011-0759-4

Gatahi, D. M. (2020). Challenges and Opportunities in Tomato Production Chain and

Sustainable Standards Introduction □. *International Journal of Horticultural Science and Technology*, 7(3), 235–262. https://doi.org/10.22059/ijhst.2020.300818.361

Masuku, M. B., & Dlamini, M. B. (2012). Profitability of Smallholder Sugarcane Farming in Swaziland: The case of Komati Downstream Development Programme (KDDP) Sugar Farmers'

Associations, 2005-2011. *Sustainable Agriculture Research*, 2(1), 8. https://doi.org/10.5539/sar.v2n1p8

Mustapha, M. (2021). Effects of Post-Harvest Losses on Profitability of Fresh Tomato (Solanum Effects of Post-Harvest Losses on Profitability of Fresh Tomato (Solanum lycopersicum) Production and Marketing in Kano State, Nigeria. January.

Prasad, B. (n.d.). *POSTHARVEST ANALYSIS OF VEGETABLES IN FIJI EGGPLANT* , *OKRA AND TOMATO*.

Review, M. (2018). A review of the role of transportation on the quality changes of fresh tomatoes and their management in South Africa and other emerging markets. 25(December), 2211–2228.

Science, E. (n.d.). Impact of vibration on the quality of tomato produced by stimulated transport Impact of vibration on the quality of tomato produced by stimulated transport. https://doi.org/10.1088/1755-1315/653/1/012101

Shettima, B. G. (2022). *Determinants of Post-Harvest Losses at Different Stages along the Tomato Marketing Channels*. 7(3), 22–31.

Sisay, Z., Abegaz, K., & Fisseha, A. (n.d.). Assessment on Post-Harvest Losses of Tomato ( Lycopersicon esculentem mill.) in Selected Districts of Sidama Zone-Ethiopia. 1–14.

Socheath, T. (2020). Postharvest Management Options to Improve Tomato Value Chain in Cambodia. 154–162.

Tiwari, I., Shah, K. K., Tripathi, S., Modi, B., & Shrestha, J. (2020). *Post-harvest practices and loss assessment in tomato (Solanum lycopersicum L.) in Kathmandu , Nepal. 3*, 335–352. Villanueva, E. (2018). An overview of recent studies of tomato (Solanum lycopersicum spp) from a social, biochemical and genetic perspective on quality parameters. *Sveriges Lantbruksuniversitet*, *December*.

Viola, A. (2017). Scaling Up Post-Harvest Losses Interventions in Uganda Through Market Forces. 57.

Wakabi, P. (2016). Maize Training Manual for Extension workers in Uganda Partners. *Maize Training Manual for Extension Workers in Uganda Partners*, 59.

Aba, I. P., Gana, Y. M., Ogbonnaya, C., & Morenikeji, O. O. (2012a). Simulated transport damage study on fresh tomato (Lycopersicon esculentum) fruits. October 2016.

Aba, I. P., Gana, Y. M., Ogbonnaya, C., & Morenikeji, O. O. (2012b). Simulated transport damage study on fresh tomato (Lycopersicon esculentum) fruits. 14(2), 119–126.

Al-Dairi, M., Pathare, P. B., & Al-Yahyai, R. (2021). Effect of postharvest transport and storage on color and firmness quality of tomato. *Horticulturae*, 7(7). https://doi.org/10.3390/horticulturae7070163

Arah, I. K., Amaglo, H., Kumah, E. K., & Ofori, H. (2015). Preharvest and postharvest factors affecting the quality and shelf life of harvested tomatoes: A mini review. *International Journal of Agronomy*, 2015. https://doi.org/10.1155/2015/478041

Deribe, H., Beyene, B., & Beyene, B. (2016). Review on pre and post-harvest management on quality tomato (Lycopersicon esculentum Mill.) production. *Food Science and Quality Management*, 54(January 2019), 72–79.

Desta, B., Tena, N., & Amare, G. (2022). Preharvest Factors that Influence the Quality of Tomato. 4(1), 6–12.

Edward, S. E. and J. K. (2014). 2 1 9085. Complementary Feeding Practices in Wakiso District of Uganda, 14, 9085–9103.

Ellen, L., Olu, F., Sekyere, A., & Cornelia, T. (2022). Assessment of Post-Harvest Handling Practices of Tomatoes Farmers and Retailers in Some Selected Districts in the Upper West Region of Ghana. 13(1), 1357–1378.

Gabriel, D. (2021). Practices and Constraints of Tomato Production. *African Journal of Food, Agriculture, Nutrition and Development*, 21(2), 17560–17580.

García-García, I., Taboada-Rodríguez, A., López-Gomez, A., & Marín-Iniesta, F. (2013). Active Packaging of Cardboard to Extend the Shelf Life of Tomatoes. *Food and Bioprocess Technology*, 6(3), 754–761. https://doi.org/10.1007/s11947-011-0759-4

Gatahi, D. M. (2020). Challenges and Opportunities in Tomato Production Chain and Sustainable Standards Introduction □. *International Journal of Horticultural Science and Technology*, 7(3), 235–262. https://doi.org/10.22059/ijhst.2020.300818.361

Masuku, M. B., & Dlamini, M. B. (2012). Profitability of Smallholder Sugarcane Farming in Swaziland: The case of Komati Downstream Development Programme (KDDP) Sugar Farmers' Associations, 2005-2011. Sustainable Agriculture Research, 2(1), 8. https://doi.org/10.5539/sar.v2n1p8

Mustapha, M. (2021). Effects of Post-Harvest Losses on Profitability of Fresh Tomato (Solanum Effects of Post-Harvest Losses on Profitability of Fresh Tomato (Solanum lycopersicum) Production and Marketing in Kano State, Nigeria. January.

Prasad, B. (n.d.). Postharvest analysis of vegetables in fiji eggplant, okra and tomato.

Review, M. (2018). A review of the role of transportation on the quality changes of fresh tomatoes and their management in South Africa and other emerging markets. 25(December), 2211–2228.

Science, E. (n.d.). *Impact of vibration on the quality of tomato produced by stimulated transport Impact of vibration on the quality of tomato produced by stimulated transport*. https://doi.org/10.1088/1755-1315/653/1/012101

Shettima, B. G. (2022). *Determinants of Post-Harvest Losses at Different Stages along the Tomato Marketing Channels*. 7(3), 22–31.

Sisay, Z., Abegaz, K., & Fisseha, A. (n.d.). Assessment on Post-Harvest Losses of Tomato (Lycopersicon esculentem mill.) in Selected Districts of Sidama Zone-Ethiopia. 1–14.

Socheath, T. (2020). Postharvest Management Options to Improve Tomato Value Chain in Cambodia. 154–162.

Tiwari, I., Shah, K. K., Tripathi, S., Modi, B., & Shrestha, J. (2020). *Post-harvest practices and loss assessment in tomato (Solanum lycopersicum L.) in Kathmandu , Nepal. 3*, 335–352. Villanueva, E. (2018). An overview of recent studies of tomato (Solanum lycopersicum spp) from a social, biochemical and genetic perspective on quality parameters. *Sveriges Lantbruksuniversitet*, *December*.

Viola, A. (2017). Scaling Up Post-Harvest Losses Interventions in Uganda Through Market Forces. 57.

Aba, I. P., Gana, Y. M., Ogbonnaya, C., & Morenikeji, O. O. (2012a). Simulated transport damage study on fresh tomato (Lycopersicon esculentum) fruits. October 2016.

Aba, I. P., Gana, Y. M., Ogbonnaya, C., & Morenikeji, O. O. (2012b). Simulated transport damage study on fresh tomato (Lycopersicon esculentum) fruits. 14(2), 119–126.

Al-Dairi, M., Pathare, P. B., & Al-Yahyai, R. (2021). Effect of postharvest transport and storage on color and firmness quality of tomato. *Horticulturae*, 7(7). https://doi.org/10.3390/horticulturae7070163

Arah, I. K., Amaglo, H., Kumah, E. K., & Ofori, H. (2015). Preharvest and postharvest factors affecting the quality and shelf life of harvested tomatoes: A mini review. *International Journal of Agronomy*, 2015. https://doi.org/10.1155/2015/478041

Deribe, H., Beyene, B., & Beyene, B. (2016). Review on pre and post-harvest management on quality tomato (Lycopersicon esculentum Mill.) production. *Food Science and Quality Management*, *54*(January 2019), 72–79.

Desta, B., Tena, N., & Amare, G. (2022). Preharvest Factors that Influence the Quality of Tomato. 4(1), 6–12.

Edward, S. E. and J. K. (2014). 2 1 9085. Complementary Feeding Practices in Wakiso District of Uganda, 14, 9085–9103.

Ellen, L., Olu, F., Sekyere, A., & Cornelia, T. (2022). Assessment of Post-Harvest Handling Practices of Tomatoes Farmers and Retailers in Some Selected Districts in the Upper West Region of Ghana. 13(1), 1357–1378.

Gabriel, D. (2021). Practices and Constraints of Tomato Production. *African Journal of Food, Agriculture, Nutrition and Development*, 21(2), 17560–17580.

García-García, I., Taboada-Rodríguez, A., López-Gomez, A., & Marín-Iniesta, F. (2013). Active Packaging of Cardboard to Extend the Shelf Life of Tomatoes. *Food and Bioprocess Technology*, 6(3), 754–761. https://doi.org/10.1007/s11947-011-0759-4

Gatahi, D. M. (2020). Challenges and Opportunities in Tomato Production Chain and

Sustainable Standards Introduction □. *International Journal of Horticultural Science and Technology*, 7(3), 235–262. https://doi.org/10.22059/ijhst.2020.300818.361

Masuku, M. B., & Dlamini, M. B. (2012). Profitability of Smallholder Sugarcane Farming in Swaziland: The case of Komati Downstream Development Programme (KDDP) Sugar Farmers' Associations, 2005-2011. *Sustainable Agriculture Research*, 2(1), 8. https://doi.org/10.5539/sar.v2n1p8

Mustapha, M. (2021). Effects of Post-Harvest Losses on Profitability of Fresh Tomato (Solanum Effects of Post-Harvest Losses on Profitability of Fresh Tomato (Solanum lycopersicum) Production and Marketing in Kano State, Nigeria. January.

Prasad, B. (n.d.). postharvest analysis of vegetables in fiji eggplant, okra and tomato.

Review, M. (2018). A review of the role of transportation on the quality changes of fresh tomatoes and their management in South Africa and other emerging markets. 25(December), 2211–2228.

Science, E. (n.d.). Impact of vibration on the quality of tomato produced by stimulated transport Impact of vibration on the quality of tomato produced by stimulated transport. https://doi.org/10.1088/1755-1315/653/1/012101

Shettima, B. G. (2022). *Determinants of Post-Harvest Losses at Different Stages along the Tomato Marketing Channels*. 7(3), 22–31.

Sisay, Z., Abegaz, K., & Fisseha, A. (n.d.). Assessment on Post-Harvest Losses of Tomato ( Lycopersicon esculentem mill.) in Selected Districts of Sidama Zone-Ethiopia. 1–14.

Socheath, T. (2020). Postharvest Management Options to Improve Tomato Value Chain in Cambodia. 154–162.

Tiwari, I., Shah, K. K., Tripathi, S., Modi, B., & Shrestha, J. (2020). *Post-harvest practices and loss assessment in tomato (Solanum lycopersicum L.) in Kathmandu , Nepal. 3*, 335–352. Villanueva, E. (2018). An overview of recent studies of tomato (Solanum lycopersicum spp) from a social, biochemical and genetic perspective on quality parameters. *Sveriges Lantbruksuniversitet*, *December*.

Viola, A. (2017). Scaling Up Post-Harvest Losses Interventions in Uganda Through Market Forces. 57.